

IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT - EGW IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mount fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000569
- Mfr. No.: 49510
- Colour: Black
- Material: Aluminum
- Model: 1911
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Iver Johnson
- Delivery weight: 0.034kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 841370116799

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT Safety Instruction Guide](#)
- [About Us](#)

IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT

Safety Instruction Guide

Introduction

Thank you for choosing the IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT. This guide provides essential safety instructions, installation procedures, and usage tips to ensure your product functions safely and effectively. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly check the mount and red dot sight for any signs of wear or damage.
- Always handle firearms responsibly and in compliance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to modify the sight mount or firearm in any way.
- Use only the specified mounting hardware provided with the product.
- Ensure that the red dot sight is securely attached to the mount before use.
- Avoid using the mount with incompatible firearms, as specified in the product details.
- Always check that the mounting screws are tightened to the recommended torque settings.
- Use blue Loctite on screws to prevent loosening during use.
- If you experience any issues with the mount or sight, discontinue use and consult a professional.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the existing rear sight from your firearm.

2. Install the EGW Sight Mount

- Insert the EGW Sight Mount into the dovetail of your firearm.

3. Tighten Set Screw (if applicable)

- Use the appropriate tool to tighten the set screw, ensuring a secure fit.

4. Place the Red Dot Sight

- Position the Trijicon RMR or Holosun HS507C red dot sight onto the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to prevent loosening.

6. Torque Mounting Screws

- Tighten the mounting screws to a torque setting of 15 in/lbs using a 5/64" allen wrench.

7. Final Check

- Ensure that all components are securely fastened and that the mount is properly aligned.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum material where facilities are available.

Contact Information for Further Support

For any inquiries or additional support regarding the IVER JOHNSON 1911 TRIJICON RMR SIGHT MOUNT, please refer to the manufacturer's contact details provided with your product.

Thank you for your attention to these safety instructions. Enjoy your product responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk