

LPA TRIJICON RMR SIGHT MOUNT - EGW LPA TIRJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mounts fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW LPA TIRJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000576
- Mfr. No.: 49517
- Colour: Black
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Tactical
- Delivery weight: 0.037kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116560

Item details

Made in USA

Table of Contents

- Startpage
- LPA Trijicon RMR Sight Mount Safety Instructions
- About Us

LPA Trijicon RMR Sight Mount Safety Instructions

Introduction

Thank you for purchasing the LPA Trijicon RMR Sight Mount. This guide provides essential safety instructions, installation procedures, and usage guidelines to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that your firearm is unloaded before beginning any installation or maintenance.
- Always handle firearms with care and follow standard safety protocols.
- Keep the mount and all components out of reach of children and unauthorized users.
- Inspect the mount regularly for signs of wear or damage.
- Do not use the mount if it shows any signs of damage or if any components are missing.
- Report unsafe products and accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use this mount with compatible red dot sights, specifically the Trijicon RMR and Holosun HS507C.
- This mount is designed for use with specific firearm models: Baby Desert Eagle (Post 2006) and EAA Witness Elite Match. It does not fit Rock Island 1911s.
- Ensure that the mounting area is clean and free of debris before installation.
- Use the provided mounting hardware only. Do not substitute with other screws or fasteners.
- Apply blue Loctite to the screws to prevent loosening, but avoid overtightening.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the rear sight from your firearm.

2. Install the EGW Sight Mount

- Position the EGW Sight Mount in the dovetail of your firearm.

3. Tighten Set Screw (if applicable)

- If your mount includes a set screw, tighten it securely.

4. Place the Red Dot Sight

- Place your Trijicon RMR red dot sight on the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to prevent Loctite from adhering to the sight.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to secure them.

6. Torque Mounting Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

7. Check Installation

- Ensure that all screws are tight and that the sight is securely mounted before use.

Disposal Instructions

- Dispose of the product and any packaging materials in accordance with local regulations.
- Recycle components where possible to minimize environmental impact.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the LPA Trijicon RMR Sight Mount, please refer to the manufacturer's contact information provided with your product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk