

COLT GOLD CUP TRIJICON RMR SIGHT MOUNT - EGW COLT GOLD CUP TRIJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mounts fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW COLT GOLD CUP TRIJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000581
- Mfr. No.: 49522
- Colour: Black
- Material: Aluminum
- Model: Anaconda,Gold Cup,Python,Trooper
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Colt
- Delivery weight: 0.034kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116515

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for COLT GOLD CUP TRIJICON RMR SIGHT MOUNT
- About Us

Safety Instruction Guide for COLT GOLD CUP TRIJICON RMR SIGHT MOUNT

Introduction

Thank you for choosing the COLT GOLD CUP TRIJICON RMR SIGHT MOUNT. This guide provides essential safety information and instructions for the proper use and installation of the product. Please read this guide carefully to ensure safe usage and compliance with safety regulations.

General Safety Guidelines

- Ensure the mount is compatible with your firearm before installation.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Inspect the mount regularly for any signs of wear or damage.
- Do not use the mount if it is damaged or if any components are missing.
- Keep the mount and tools out of reach of children and vulnerable individuals.
- Follow all safety precautions during installation and usage to avoid injury.

Specific Safety Precautions for Use

- Only use the mount with compatible red dot sights, specifically the Trijicon RMR and Holosun HS507C.
- Ensure that the firearm is unloaded before beginning installation.
- Avoid using excessive force when tightening screws to prevent damage to the mount or firearm.
- Use blue Loctite on the mounting screws to ensure a secure fit, but avoid overapplication.
- If you experience any difficulties during installation or operation, consult a qualified gunsmith for assistance.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the rear sight from your firearm.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount in the dovetail of your firearm.
- Tighten the set screw (if applicable) to secure the mount.

3. Place the Red Dot Sight

- Position the red dot sight on the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to prevent Loctite from sticking.

4. Apply Loctite

- Apply blue Loctite to the provided mounting screws to ensure they remain secure.

5. Torque the Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

6. Final Check

- After installation, doublecheck that all screws are tightened and that the mount is securely attached to the firearm.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the mount is no longer in use, follow local guidelines for the disposal of metal and aluminum products.

Contact Information for Further Support

For any inquiries or concerns regarding the COLT GOLD CUP TRIJICON RMR SIGHT MOUNT, please contact the manufacturer or your local dealer. Always ensure you have the product information available when seeking support.

By following these guidelines, you can ensure the safe and effective use of the COLT GOLD CUP TRIJICON RMR SIGHT MOUNT. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk