

CZ 75, SP-01, PCR TRIJICON RMR SIGHT MOUNT - EGW CZ 75, SP-01, PCR TRIJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mounts fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW CZ 75, SP-01, PCR TRIJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000585
- Mfr. No.: 49526
- Colour: Black
- Material: Aluminum
- Model: 75,85,P-01,P-07,Shadow,Shadow 2,SP-01 Shadow
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: CZ
- Delivery weight: 0.032kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116478

Item details

Made in USA

Table of Contents

- Startpage
- CZ 75, SP01, PCR Trijicon RMR Sight Mount Safety Instruction Guide
- About Us

CZ 75, SP01, PCR Trijicon RMR Sight Mount Safety Instruction Guide

Introduction

Thank you for purchasing the CZ 75, SP01, PCR Trijicon RMR Sight Mount. This guide provides essential safety instructions and installation procedures to ensure the safe and effective use of your new product. Please read this document carefully before using the sight mount.

General Safety Guidelines

- Ensure the product is suitable for your firearm model before installation.
- Always handle firearms safely and responsibly.
- Store the sight mount in a safe place, away from children and unauthorized users.
- Regularly inspect the sight mount for any signs of wear or damage before use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the sight mount in any way.
- Ensure that the red dot sight is securely attached to the mount before use.
- Use the recommended tools for installation to avoid damaging the screws or mount.
- Always apply blue Loctite to the mounting screws to prevent loosening during use.
- Avoid using the mount with incompatible firearms, such as Rock Island 1911s.
- If you experience any issues with the sight mount, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the rear sight from your firearm.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount into the dovetail of your firearm.
- Ensure it is seated properly.

3. Tighten the Set Screw

- If applicable, tighten the set screw to secure the mount in place.

4. Attach the Red Dot Sight

- Place the red dot sight on the EGW Sight Mount.
- For easier removal in the future, place a small piece of paper between the red dot sight and the sight mount to keep Loctite off the red dot sight.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to prevent loosening.

6. Torque Mounting Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

7. Use of Flat Head Cap Screws

- The included screws require a 5/64" allen wrench for installation.

Disposal Instructions

- Dispose of the sight mount and any packaging materials in accordance with local regulations.
- Do not dispose of electronic components in regular waste; follow local electronic waste disposal guidelines.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your CZ 75, SP01, PCR Trijicon RMR Sight Mount. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk