

RUGER PC CARBINE TRIJICON RMR SIGHT MOUNT - EGW RUGER® PC CARBINE TRIJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mounts fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW RUGER® PC CARBINE TRIJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000590
- Mfr. No.: 49531
- Colour: Black
- Material: Aluminum
- Model: PC Carbine
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Ruger
- Delivery weight: 0.037kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116423

Item details

Made in USA

Table of Contents

- Startpage
- RUGER PC CARBINE TRIJICON RMR SIGHT MOUNT Safety Instruction Guide
- About Us

RUGER PC CARBINE TRIJICON RMR SIGHT MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the RUGER PC CARBINE TRIJICON RMR SIGHT MOUNT. This guide is designed to provide you with essential safety instructions and installation guidelines in accordance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product to ensure safe and proper use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the product before each use for any signs of damage or wear.
- Store the product in a safe, dry place away from children and pets.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for updates on product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- This mount is specifically designed for use with Trijicon RMR and Holosun HS507C red dot sights.
- Do not attempt to use this mount with incompatible products, such as Rock Island 1911s.
- Ensure that the rear sight is completely removed before installing the mount to avoid damage to your firearm.
- Use the provided mounting hardware only; do not substitute with other screws or fasteners.
- When applying blue Loctite to the mounting screws, avoid overtightening to prevent damage to the mount or the sight.
- Always ensure that the red dot sight is securely attached to the mount before use.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the rear sight from your firearm.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount in the dovetail of your firearm.
- Ensure that it is aligned properly.

3. Tighten the Set Screw

- If applicable, tighten the set screw to secure the mount in place.

4. Attach the Red Dot Sight

- Place the red dot sight on the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to keep Loctite off the sight.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws.

6. Torque Mounting Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

7. Use of Flat Head Cap Screws

- The included screws require a 5/64" allen wrench for installation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer in use, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries regarding safety or installation, please refer to the manufacturer's contact information provided with the product packaging. Always ensure you have the latest information regarding safety and usage.

Thank you for your attention to these safety instructions. Proper use and care of the RUGER PC CARBINE TRIJICON RMR SIGHT MOUNT will enhance your experience and ensure safe operation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk