

MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASES - EGW

MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASE 0 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Machined From: Solid 7075 T6 Aircraft Grade Aluminum Finish: Matte Black Only Compatible with Picatinny or Weaver scope rings. Mounting Hardware: #6-48 X 1/4 Screws and T-10 Bit Included Torque Specs: 20 in/lbs Center Spread: 4.045" Overall Length of Mount: 7.458" This mount comes standard with a bevel on both sides making it ambidextrous. *The center spread is the distance between the two middle holes, center to center, on your receiver. These bases sit at approximately 0.35" high. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The cross slots are also machined the full width of the mount and gauged to MIL-STD 1913 specs maintaining tolerances of +/- .002". After machining; the mounts are tumbled and sand blasted. The aluminum mounts are Type III hard coat anodized for long lasting durability. The steel rails are Mil Spec parkerized for a durable rust resistant finish. Compatible with Picatinny or Weaver scope rings. Add EGW's HD Scope Rings to make it a complete package! From manufacturing to packaging, EGW's products are made with pride in the USA. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is available through our website and is sold separately).



Attributes

- Name: [EGW MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASE 0 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000606
- Mfr. No.: 81110
- Action Type: Bolt Action
- Colour: Matte Black
- Elevation: 0 MOA
- Material: Aluminum
- Model: 1999
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Montana Rifle Co.
- Delivery weight: 0.227kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 841370117222

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASES
- About Us

Safety Instruction Guide for MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASES

Introduction

Thank you for choosing the MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASES. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Product Safety: Ensure the safe use of this product by following all instructions. This product is designed for nonfood use and adheres to EU safety regulations.
- Enhanced Recalls: In the event of a product recall, follow the instructions provided in the recall notice to obtain remedies at no cost.
- Online Shopping: If purchased online, ensure the seller complies with safety requirements similar to physical stores.
- Special Consumer Focus: Extra care should be taken when this product is used by or around vulnerable groups, including children.
- EU Contact Point: For any safety inquiries, please refer to the EU-based contact provided by the manufacturer.
- Rapid Alerts: Stay informed about any updates regarding product safety through the EU's Safety Gate system.

Specific Safety Precautions for Use

- Ensure that the scope bases are compatible with your firearm before installation.
- Always check for any visible damage to the scope bases before use. Do not use damaged products.
- Use the provided mounting hardware only. Substituting with noncompatible parts may compromise safety.
- Follow the torque specifications (20 in/lbs) to avoid overtightening, which could damage the product or firearm.
- Use blue loctite as recommended to secure screws and prevent loosening during use.
- Regularly inspect the scope bases for wear and tear, especially after extensive use.
- Ensure that all tools used during installation are in good condition and appropriate for the task.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a T10 bit and a torque wrench.
- Ensure that your firearm is unloaded and pointed in a safe direction.

2. Installation Steps:

- Align the scope bases with the mounting holes on the receiver of your firearm.
- Insert the #648 X 1/4 screws through the bases into the receiver holes.
- Using the T10 bit, tighten the screws to the specified torque of 20 in/lbs. Ensure even pressure is applied to avoid warping the bases.
- Apply a drop of blue loctite to each screw for added security.

3. Post-Installation Check:

- Verify that the scope bases are securely attached and that there is no movement.
- Check the alignment of the scope rings with the mounted scope.

4. Usage:

- When using your firearm, ensure that all accessories are properly mounted and secure.
- Regularly check the tightness of screws and the condition of the scope bases.

Disposal Instructions

- Dispose of packaging materials in accordance with local waste management regulations.
- If the scope bases reach the end of their life cycle, dispose of them responsibly. Check local guidelines for recycling or hazardous waste disposal.

Contact Information for Further Support

For further assistance or inquiries regarding safety, installation, or product information, please refer to the contact details provided with your product or visit the manufacturer's website.

By following these guidelines, you can ensure the safe and effective use of your MONTANA RIFLE 1999 LONG ACTION HD SCOPE BASES. Your safety is our priority. Thank you for your attention to these important instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk