

HD AMBIDEXTROUS THUMB SAFETIES FOR 1911 - EGW HD AMBIDEXTROUS THUMB SAFETY, BLUED

[Handgun Parts](#) > [Safety Parts](#) > [Safeties](#)

EGW is excited to be one of the few to offer a machined from solid steel thumb safety. EGW saw a need for a cleaner, more solid design as a result of consistent failures of inferior cast and MIM thumb safeties currently on the market. The only way to keep the safeties as straight as possible is to heat treat the steel and then machine it in the hardened condition. The thumb safety is serrated for better gripping capability. Both paddles are machined from solid blocks of heat treated steel. Using their swiss screw machines, EGW manufactures the hammer pins, shortened flat headed .110 sear pin, and our Patent Pending sleeve. The parts are all heat treated. The ambi joint is machined and flat. Not tapered which tends to work out and loosen over time. The sleeve joins each side inside the frame tangs. The grip safety rides on the round sleeve and is not influenced when operating the safety. The sleeve prevents the safety from expanding where the sides join. The sleeve functionally makes each side longer for more secure operation and less flex. The t-slot on the right hand side prevents the safety from walking out. No need to relieve your right hand grips for the safety. This thumb safety still requires fitting for proper function in your 1911 and is not a drop in part. Includes the following Left side safety Right side safety .797" hammer pin .807" hammer pin Sear pin Safety sleeve



Attributes

- Name: [EGW HD AMBIDEXTROUS THUMB SAFETY, BLUED](#)
- Manufacturer: [EGW](#)
- Product no.: 296000609
- Mfr. No.: 11323
- Finish: Blued
- Hand: Ambidextrous
- Style: Wide
- Weapon type: 1911
- Delivery weight: 0.091kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 203mm
- UPC: 841370101849

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- HD Ambidextrous Thumb Safeties for 1911 Safety Instruction Guide
- About Us

HD Ambidextrous Thumb Safeties for 1911 Safety Instruction Guide

Introduction

Thank you for choosing the HD Ambidextrous Thumb Safeties for 1911 by EGW. This product is designed to enhance the safety and functionality of your firearm. It is essential to understand the proper use and safety guidelines to ensure a safe experience. This guide provides essential safety instructions and information regarding the installation, usage, and disposal of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

To ensure the safe use of your HD Ambidextrous Thumb Safeties, please adhere to the following guidelines:

- Always handle firearms with care and in accordance with standard safety practices.
- Ensure that your firearm is unloaded before installation or maintenance.
- Be aware of your surroundings and never point your firearm at anything you do not intend to shoot.
- Keep the safeties out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage to the thumb safeties.
- If you experience any issues with the thumb safety, consult a qualified gunsmith.

Specific Safety Precautions for Use

When using the HD Ambidextrous Thumb Safeties, please observe the following precautions:

- Ensure proper fitting of the thumb safety for optimal function in your 1911. This part is not a drop-in component and requires fitting.
- Do not modify the thumb safety or firearm in any way that may compromise safety.
- Always check that the safety is functioning correctly before use. The safety should engage and disengage smoothly.
- Avoid using the thumb safety if it has been damaged or shows signs of wear.
- Be mindful of the grip safety and its interaction with the thumb safety during operation.

Instructions for Installation and Usage

Follow these instructions carefully for the installation and usage of your thumb safeties:

1. Installation:

- Ensure that your firearm is completely unloaded.
- Remove the existing thumb safety from your 1911, if applicable.
- Install the left and right side safeties, ensuring that they are aligned properly.
- Utilize the .797" and .807" hammer pins as specified for secure installation.
- Check the fit of the safety sleeve and ensure it is seated correctly within the frame tangs.
- Verify that the ambi joint is flat and not tapered to avoid loosening over time.
- Test the thumb safety to ensure it operates smoothly before finalizing installation.

2. Usage:

- To engage the safety, push the thumb safety upwards until it clicks into place.
- To disengage the safety, push the thumb safety downwards.
- Always confirm that the safety is engaged when the firearm is not in use.

- Ensure that the grip safety operates independently of the thumb safety.

Disposal Instructions

When disposing of the HD Ambidextrous Thumb Safeties, please follow these guidelines:

- Dispose of the product in accordance with local regulations regarding metal and firearm components.
- Do not dispose of the product in regular household waste.
- If unsure, consult local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety and performance of your HD Ambidextrous Thumb Safeties, please consult a qualified gunsmith or contact the manufacturer directly.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy your enhanced shooting experience with the HD Ambidextrous Thumb Safeties for 1911 by EGW.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk