


DESERT EAGLE PRE 2017 LEUPOLD DELTAPOINT PRO SIGHT MOUNT - EGW SIGHT MOUNT FOR DELTAPOINT PRO FITS DESERT EAGLE PRE2017 BLK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

EGW red dot sights are meant to be installed from the left to the right (with the muzzle facing forward). The dovetail has a progressive taper to allow for easier install. Simply remove the rear sight on your gun and replace it with EGW mount in order to mount your Leupold DeltaPoint Pro, JPoint, Redfield Accelerator, or Optima red-dot sight. You can take the mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs Modification of your firearm may nullify the manufacturer's warranty. This product should be installed and checked by a qualified gunsmith. No liability is expressed or implied for damage or injury which may result from improper installation or use of this product. This mount does not fit: Desert Eagle Post 2017 Baby Desert Eagle Post 2006 Please take note to the Pre 2017 and Post 2017 differences when placing your order. Pre 2017 rear shelf behind the dovetail is .187" Post 2017 rear shelf behind the dovetail is .120"



Attributes

- Name: [EGW SIGHT MOUNT FOR DELTAPOINT PRO FITS DESERT EAGLE PRE2017 BLK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000680
- Mfr. No.: 49405
- Colour: Black
- Material: Aluminum
- Model: Desert Eagle
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Magnum Research
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370115686

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for DESERT EAGLE PRE 2017 LEUPOLD DELTAPOINT PRO SIGHT MOUNT
- About Us

Safety Instruction Guide for DESERT EAGLE PRE 2017 LEUPOLD DELTAPOINT PRO SIGHT MOUNT

Introduction

Thank you for choosing the DESERT EAGLE PRE 2017 LEUPOLD DELTAPOINT PRO SIGHT MOUNT. This guide provides essential safety instructions and installation guidelines to ensure the safe and effective use of your sight mount. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the sight mount is compatible with your firearm model. This product is designed specifically for the Desert Eagle Pre 2017.
- Modification of your firearm may void the manufacturer's warranty. Consult a qualified gunsmith for installation.
- Always handle firearms with care and follow all safety protocols.
- Keep this product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure the firearm is unloaded before beginning installation.
- **Use of Tools:** Use appropriate tools for installation to avoid personal injury or damage to the product.
- **Eye Protection:** Wear safety glasses during installation to protect against debris.
- **Loctite Application:** When applying blue Loctite, avoid contact with the red dot sight to prevent damage.
- **Torque Specifications:** Adhere strictly to the torque specifications provided to avoid damaging the mount or firearm.

Instructions for Installation and Usage

1. Remove the Rear Sight:

- Ensure the firearm is unloaded.
- Carefully remove the existing rear sight from your firearm.

2. Install the EGW Sight Mount:

- Place the EGW Sight Mount into the dovetail from the left to the right (with the muzzle facing forward).
- Ensure the dovetail is properly aligned for an effective fit.

3. Tighten Set Screw:

- If applicable, tighten the set screw to secure the mount in place.

4. Place the Red Dot Sight:

- Position your Leupold DeltaPoint Pro, JPoint, Redfield Accelerator, or Optima reddot sight on the EGW Sight Mount.
- To facilitate easier removal and protect the sight, place a small piece of paper between the red dot sight and the mount.

5. Apply Blue Loctite:

- Apply blue Loctite to the provided mounting screws to ensure they remain secure.

6. Torque Mounting Screws:

- Torque the mounting screws to 15 in/lbs to ensure a secure fit.

7. Final Check:

- Doublecheck all connections and ensure everything is tightly secured before using the firearm.

Disposal Instructions

- Dispose of packaging materials and any unused components in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, follow local guidelines for the disposal of electronic and metal components.

Contact Information for Further Support

For any inquiries or concerns regarding the installation or use of the DESERT EAGLE PRE 2017 LEUPOLD DELTAPOINT PRO SIGHT MOUNT, please reach out to your local distributor or manufacturer. Ensure to keep the product information and any receipts for warranty purposes.

By adhering to these guidelines, you can ensure the safe and effective use of your sight mount. Thank you for prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk