

# SPRINGFIELD XD, XDM VORTEX RAZOR SIGHT MOUNT - EGW SIGHT MOUNT FOR VORTEX RAZOR FITS SPRINGFIELD XD/XDM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Simply remove the rear sight on your gun and replace it with EGW mount in order to mount your Vortex Razor, C-More RTS or STS red-dot sight. You can take the mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight\* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs The screws that are included with this mount require a 5/64" allen wrench for installation. This mount fits: All XD Models that are NOT the Optics Ready Model This includes, but is not limited to: Springfield XD® MOD.2® - 3"" SUB-COMPACT MODEL Springfield XD® MOD.2® - 3.3"" SUB-COMPACT MODEL Springfield XD® MOD.2® - 4"" SERVICE MODEL Springfield XD® MOD.2® - 4"" SERVICE MODEL THREADED BARREL Springfield XD® MOD.2® - 5"" TACTICAL MODEL Springfield XD® 3"" SUB-COMPACT MODEL Springfield XD® 4"" SERVICE MODEL Springfield XD(M)® 3.8"" COMPACT MODEL Springfield XD(M)® 3.8"" MODEL Springfield XD(M)® 4.5"" MODEL Springfield XD(M)® 4.5"" THREADED BARREL MODEL Springfield XD-S® 3.3"" MODEL Springfield XD-E™ 3.3"" SINGLE STACK Springfield XD-E™ 3.8"" SINGLE STACK Does not fit: Springfield XD(M)® 5.25"" COMPETITION SERIES MODEL Any Optics Ready Springfield XD



## Attributes

- Name: [EGW SIGHT MOUNT FOR VORTEX RAZOR FITS SPRINGFIELD XD/XDM BLACK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000695
- Mfr. No.: 49442
- Colour: Black
- Material: Aluminum
- Model: XDM,XD Mod 2,XD-Subcompact,XD-E,XDS
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Springfield
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370113057

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SPRINGFIELD XD, XDM VORTEX RAZOR SIGHT MOUNT
- About Us

# Safety Instruction Guide for SPRINGFIELD XD, XDM VORTEX RAZOR SIGHT MOUNT

## Introduction

Thank you for choosing the SPRINGFIELD XD, XDM Vortex Razor Sight Mount. This guide provides essential safety instructions and installation procedures to ensure safe and effective use of the product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- **Product Safety:** This product is designed for safe use with Springfield XD and XDM models. Ensure that your firearm is unloaded before installation.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive a recall notice, follow the instructions provided to return or replace the product.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements. Verify the authenticity of the product.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by the manufacturer or retailer.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on any unsafe products.

## Specific Safety Precautions for Use

- **Potential Hazards:**
  - Improper installation may lead to the sight mount detaching during use, resulting in loss of control.
  - Using the mount with incompatible models may cause damage or malfunction.
- **Avoiding Hazards:**
  - Always ensure the firearm is unloaded before installation.
  - Follow the installation instructions carefully to avoid improper fitting.
  - Regularly inspect the mount for signs of wear or damage before use.
- **Age Specific Warnings:**
  - This product is intended for adult use only. Ensure that only responsible adults handle and install this product.

## Instructions for Installation and Usage

### 1. Remove the Rear Sight:

- Ensure the firearm is unloaded.
- Carefully remove the rear sight from your Springfield XD or XDM model.

### 2. Install the EGW Sight Mount:

- Insert the EGW Sight Mount into the dovetail where the rear sight was located.
- Tighten the set screw (if applicable) to secure the mount in place.

### 3. Mount the Red Dot Sight:

- Place the Vortex Razor or compatible red dot sight onto the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to prevent Loctite from adhering to the sight.

#### **4. Apply Loctite:**

- Use blue Loctite on the provided mounting screws to secure the red dot sight.
- Torque the mounting screws to 15 in/lbs for optimal security.

#### **5. Tools Required:**

- A 5/64" allen wrench is needed for installation.

## **Disposal Instructions**

- Dispose of packaging materials and any unused components in accordance with local waste management regulations.
- Do not dispose of electronic components in regular household waste. Check for local recycling programs for electronic materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the installation, usage, or safety of the SPRINGFIELD XD, XDM Vortex Razor Sight Mount, please refer to the contact information provided by the retailer or manufacturer.

By following these safety instructions, you can ensure a safe and effective experience with your SPRINGFIELD XD, XDM Vortex Razor Sight Mount. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)