

HUNTER SAVAGE ROUND BACK SHORT ACTION PICATINNY SCOPE MOUNT - EGW SAVAGE ROUND BACK SA 1-PIECE PICATINNY BASE 0 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Introducing the newest addition to the EGW lineup; the Hunter series picatinny scope mount. EGW saw the need for a shorter, lighter, heavy duty, picatinny scope mount and this is what they came up with. After countless hours of prototyping and testing, the Hunter mount was born. Featuring: 7075 T6 aluminum for an extremely durable yet lightweight construction. Type III hardcoat anodizing protects the mount from whatever nature can throw at it. Chamfered edges provide a snag free hunt. A compact overall length sheds 15% of its weight compared to our other Heavy Duty mounts. 51000 mounts manufactured after 12/2020 are drilled to accommodate larger diameter screws (#8-40) and now come with #6-48 and #8-40 screws. The head diameter on the #6-48 screws provided with this mount is larger than our normal #6-48 screws. If you have questions about your specific firearm, or need help regarding the specific screw size, you should contact Savage Customer Support at (413) 568-7001 or (800) 370-0708 and supply them with your serial number. The blue bag of screws provided are #6-48 screws. The red bag of screws provided are #8-40 screws. Rifles requiring #8 screws (please check your individual rifle to be sure): 10/110 BA Stealth 10/110 Stealth Evolution 110 Scout 110 Wolverine 10 GRS 110 Tactical 110 Tactical LH 110 Tactical Desert 110 Ridge Warrior 110 Ultralite Christensen Arms Ridgeline Screw Diameters #6 Screws - .13"" diameter #8 Screws - .16"" diameter EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. EGW's one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. This mount is a Picatinny-style base and compatible with Picatinny or Weaver scope rings. EGW machines these in our shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA. This mount fits: Savage Model 10 with Accu-Trigger Short Action Round Rear Receiver Savage Model 11 with Accu-Trigger Short Action Round Rear Receiver Savage Model 12 with Accu-Trigger Short Action Round Rear Receiver Savage Model 14 with Accu-Trigger Short Action Round Rear Receiver Savage Model 16 with Accu-Trigger Short Action Round Rear Receiver Savage Model 110 with Accu-Trigger Short Action Round Rear Receiver Stevens Model 200 Short Action Round Rear Receiver Savage Ultralite Savage Model 10/110 BA Stealth Short Action Savage Model 10/110 Stealth Evolution Short Action Savage Model 110 Scout Short Action Savage Model 110 Wolverine Short Action Savage Model 10 GRS Short Action Savage Model 110 Tactical Short Action Savage Model 110 Tactical LH Short Action Savage Model 110 Tactical Desert Short Action Savage Model 110 Ridge Warrior Short Action Savage Model 110 Ultralite Short Action Christensen Arms Ridgeline (Please Check Your Serial Number Here) This mount does not fit: Savage Edge Savage Axis Savage Axis II Savage Model 25 Savage Short Actions with Flat Rear Receivers Savage Medium Actions with Flat Rear Receivers Savages With Ashbury Precision Chassis



Attributes

- Name: [EGW SAVAGE ROUND BACK SA 1-PIECE PICATINNY BASE 0 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000716
- Mfr. No.: 51000
- Colour: Black
- Elevation: 0 MOA
- Material: Aluminum
- Model: 12,10,16,14,11
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Savage Arms
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 841370117147

Item details

Made in USA

Table of Contents

- Startpage
- HUNTER SAVAGE ROUND BACK SHORT ACTION PICATINNY SCOPE MOUNT USER SAFETY INSTRUCTIONS
- About Us

HUNTER SAVAGE ROUND BACK SHORT ACTION PICATINNY SCOPE MOUNT USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the HUNTER SAVAGE ROUND BACK SHORT ACTION PICATINNY SCOPE MOUNT. This guide provides essential safety instructions and operational guidelines to ensure the safe and effective use of your scope mount. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Regularly inspect the scope mount for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Verify that your firearm is compatible with the scope mount before installation.
- Use only the recommended screws (#648 and #840) provided with the mount.
- Ensure that the screws are tightened to the recommended torque of 20 inch lbs.
- Apply a drop of blue loctite to the screws to prevent loosening during use.
- Avoid overtightening screws, which can damage the mount or your firearm.
- Always check the scope alignment before firing to ensure proper function.
- Use the scope mount only with Picatinny or Weaver scope rings.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools: a torque wrench and the provided screws.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Remove any existing scope mounts from your firearm.
- Clean the mounting surface of the receiver to ensure a secure fit.
- Position the scope mount onto the receiver, aligning it with the mounting holes.
- Insert the provided screws into the mounting holes.
- Tighten the screws gradually in a crisscross pattern to ensure even pressure.
- Use the torque wrench to tighten the screws to 20 inch lbs.

3. Final Checks

- After installation, check that the mount is securely attached.
- Verify that the scope is aligned correctly and adjust as necessary.
- Conduct a function check of your firearm in a safe environment.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the scope mount in regular household waste.
- If the product is damaged or no longer in use, consider recycling options for metal materials.

Contact Information for Further Support

For any inquiries regarding the scope mount, including compatibility and installation support, please reach out to the appropriate customer support channels. Ensure you have your serial number ready for reference.

Thank you for your attention to these safety instructions. Enjoy your HUNTER SAVAGE ROUND BACK SHORT ACTION PICATINNY SCOPE MOUNT and ensure safe and responsible use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk