

MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT - EGW MOSIN NAGANT 91/93 1-PIECE PICATINNY BASE 0 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW's Mosin Nagant mount allows you to remove the rear leaf sight and install the base without the need to unsolder anything. It is one of the most stable bases on the market and uses the rear sight housing so there are no major modifications to your rifle like with some other brands. Installation: Remove rear leaf sight from the housing Keep the original pin as you will need this to install the base Insert the tabbed side of our steel base in to the rear of the rear sight Check for fitment on the front of the steel base The corners and front may need to be filed down to achieve the optimal fit Once the base sits completely in the rear housing insert the retaining pin from the original sight Adjust the set screw to take up any play in the rail Screw the top aluminum mount to the steel base This mount can be put on in either direction EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. EGW machines these in thier shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately).



Attributes

- Name: [EGW MOSIN NAGANT 91/93 1-PIECE PICATINNY BASE 0 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000743
- Mfr. No.: 80244
- Colour: Black
- Elevation: 0 MOA
- Material: Aluminum
- Model: 93,91
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Mosin Nagant
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 841370114177

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT
- About Us

Safety Instruction Guide for MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT

Introduction

Thank you for choosing the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT by EGW. This guide provides essential safety instructions and installation guidance to ensure the safe and effective use of your new scope mount. Please read this guide carefully before installation and use.

General Safety Guidelines

To ensure the safe use of the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT, please adhere to the following guidelines:

- Always handle firearms and related accessories with care.
- Ensure that the firearm is unloaded before installation or maintenance.
- Keep the scope mount and firearm out of reach of children and unauthorized users.
- Be aware of your surroundings when using firearms and always follow local laws and regulations.
- Regularly inspect the mount for signs of wear or damage before each use.

Specific Safety Precautions for Use

When using the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT, please observe the following precautions:

- Ensure that the mount is compatible with your specific model of Mosin Nagant (91 or 93).
- Do not attempt to modify the mount or the firearm in ways not specified in this guide.
- Use only the recommended tools and torque specifications during installation.
- Check that the mount is securely attached before each use to prevent accidents.
- If you experience any issues with the mount or installation, cease use immediately and consult a professional.

Instructions for Installation and Usage

Follow these stepbystep instructions to install the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT safely:

1. Remove the Rear Leaf Sight:

- Carefully remove the rear leaf sight from the rear sight housing.
- Retain the original pin as it will be needed for installation.

2. Insert the Base:

- Insert the tabbed side of the steel base into the rear of the rear sight housing.
- Check for fitment on the front of the steel base.
- If necessary, file down the corners and front of the base to achieve an optimal fit.

3. Secure the Base:

- Once the base is properly seated, insert the retaining pin from the original sight.
- Adjust the set screw to eliminate any play in the rail.

4. Attach the Mount:

- Screw the top aluminum mount to the steel base.

- Note that the mount can be installed in either direction.

5. Final Checks:

- EGW recommends measuring the hole spacing in your receiver to ensure compatibility with the published dimensions.
- Ensure that the Picatinny cross slots are aligned for proper accessory mounting.

6. Torque Specifications:

- Use a torque wrench to apply 20 inch lbs of torque when securing the mount.
- Apply a drop of blue Loctite to the screws to prevent loosening (Loctite is sold separately).

Disposal Instructions

When disposing of the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT, please follow these guidelines:

- Dispose of the product in accordance with local regulations regarding electronic waste and metal disposal.
- Do not dispose of the mount in regular household waste.
- Consider recycling options when available.

Contact Information for Further Support

For any questions or concerns regarding the MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT, please refer to the manufacturer's website or contact the retailer from whom you purchased the product.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your MOSIN NAGANT 91/30 HD PICATINNY SCOPE MOUNT. Always prioritize safety and compliance with local regulations when handling firearms and accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk