

TIKKA T3X TAC A1 HD PICATINNY SCOPE MOUNT - EGW TIKKA T3X TAC A1 1-PIECE PICATINNY BASE 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

There is a screw in the front of the original mount that is located underneath the handguard. The handguard must be removed and then this screw must also be removed before the original mount can be removed. Removing the original mount may be a difficult task. Please use caution when removing the original mount and when installing EGW mount. EGW always recommends having their products installed by a competent and qualified gunsmith. Metric screws are only available with hex heads. EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. This mount is a Picatinny-style base and compatible with Picatinny or Weaver scope rings. EGW machines these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Recommend: 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA.



Attributes

- Name: [EGW TIKKA T3X TAC A1 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000756
- Mfr. No.: 80512
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: T3x
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Tikka
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 841370117284

Item details

Made in USA

Table of Contents

- Startpage
- TIKKA T3X TAC A1 HD Picatinny Scope Mount Safety Instructions
- About Us

TIKKA T3X TAC A1 HD Picatinny Scope Mount Safety Instructions

Introduction

Thank you for choosing the TIKKA T3X TAC A1 HD Picatinny Scope Mount. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure safe use of all nonfood products, including new technologies and online purchases.
- Be aware of potential risks not addressed by other EU laws.
- Always check for recall notices and updates related to this product.
- Ensure that all online purchases meet the same safety requirements as physical stores.
- Special care should be taken when using the product around vulnerable groups, such as children.
- For any safety inquiries, please refer to the designated EU contact point.
- Stay informed about unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Installation Caution:** Removing the original mount may be challenging. Use caution when removing and installing the EGW mount.
- **Professional Installation:** EGW recommends having the mount installed by a competent and qualified gunsmith.
- **Screw Handling:** There is a screw located underneath the handguard that must be removed. Ensure the handguard is removed before attempting to remove this screw.
- **Torque Specifications:** Use a torque of 20 inch lbs and apply a drop of blue Loctite (sold separately) to secure the mount.
- **Check Compatibility:** Measure the hole spacing in your receiver to confirm compatibility with the published dimensions.
- **Use of Accessories:** Picatinny cross slots allow flexibility in mounting scope rings and accessories. Ensure all accessories are compatible with the Picatinny style base.

Instructions for Installation and Usage

1. Preparation:

- Ensure all tools and components are ready before beginning installation.
- Remove the handguard carefully to access the original mount.

2. Removing the Original Mount:

- Locate the screw underneath the handguard.
- Remove the screw using the appropriate tool.
- Carefully detach the original mount, taking care not to damage surrounding components.

3. Installing the EGW Mount:

- Align the EGW mount with the mounting holes on the receiver.
- Insert the screws and handtighten them initially.
- Apply the recommended torque of 20 inch lbs to secure the mount.
- Add a drop of blue Loctite to each screw for added security.

4. Final Checks:

- Ensure that the mount is securely attached and there is no movement.
- Confirm that all accessories are properly mounted and compatible.

Disposal Instructions

- Dispose of packaging materials responsibly, following local waste management guidelines.
- If the product is no longer in use, consider recycling components where possible.

Contact Information for Further Support

For any further inquiries or support regarding the TIKKA T3X TAC A1 HD Picatinny Scope Mount, please refer to the designated EU contact point for safety inquiries.

Thank you for ensuring safety and compliance with the use of this product. Enjoy your shooting experience with the TIKKA T3X TAC A1 HD Picatinny Scope Mount.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk