

# FIBER OPTIC 60 DEGREE FRONT SIGHT - EGW 60° SIGHT, HEIGHT .185"

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Interchangeable, red or green fiber optic insert glows bright; draws your eye to the sight for faster pickup and improved shooting performance. Open center improves light transmission for a brighter, easier to see, dot. Works well with ghost ring, express, or square notch rear sights. Three heights accommodate most installation requirements.



## Attributes

- Name: [EGW 60° SIGHT, HEIGHT .185"](#)
- Manufacturer: [EGW](#)
- Product no.: 296060185
- Mfr. No.: 15003
- Colour: Green/Red
- Height: .185
- Model: Commander, Government, Officers
- Outline: None
- Style: Fiber Optic
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 841370103935

## Item details

Made in USA

# Table of Contents

- Startpage
- FIBER OPTIC 60 DEGREE FRONT SIGHT USER SAFETY INSTRUCTIONS
- About Us

# FIBER OPTIC 60 DEGREE FRONT SIGHT USER SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the FIBER OPTIC 60 DEGREE FRONT SIGHT. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is suitable for your firearm model before installation.
- Always handle your firearm safely and responsibly.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the sight for any signs of damage or wear.
- Do not use the sight if it appears damaged or malfunctioning.
- Follow all local laws and regulations regarding firearm modifications and accessories.

## Specific Safety Precautions for Use

- Use the sight only for its intended purpose as a front sight for firearms.
- Avoid exposing the sight to extreme temperatures or harsh chemicals.
- Ensure that the fiber optic insert is securely installed before use.
- Do not attempt to modify or disassemble the sight.
- If you experience difficulty in sight alignment or visibility, cease use and consult a professional.

## Instructions for Installation and Usage

### 1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight using appropriate tools.
- Align the FIBER OPTIC 60 DEGREE FRONT SIGHT with the mounting slot.
- Secure the sight using the provided screws, ensuring it is firmly in place.
- Check alignment with the rear sight to ensure proper sight picture.

### 2. Usage

- When aiming, focus on the illuminated fiber optic insert.
- Ensure proper eye relief and positioning for optimal visibility.
- Practice regularly to become familiar with the sight's performance.
- Always follow safe shooting practices and guidelines.

## Disposal Instructions

- Dispose of the product responsibly at a designated electronic waste facility.
- Follow local regulations for the disposal of firearm accessories.
- Do not throw the product in regular household waste.

## Contact Information for Further Support

For any inquiries or concerns regarding the FIBER OPTIC 60 DEGREE FRONT SIGHT, please refer to the

manufacturer's website or customer service resources. Ensure you have your product details ready for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your FIBER OPTIC 60 DEGREE FRONT SIGHT. Thank you for your attention to safety and responsible firearm use.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)