

FIBER OPTIC 65 DEGREE FRONT SIGHT - EGW 65° SIGHT, HEIGHT .185"

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Enhanced Sight Picture In Bright Or Low Light

Interchangeable, red or green fiber optic insert glows bright; draws your eye to the sight for faster pickup and improved shooting performance. Open center improves light transmission for a brighter, easier to see, dot. Works well with ghost ring, express, or square notch rear sights. Three heights accommodate most installation requirements.



Attributes

- Name: [EGW 65° SIGHT, HEIGHT .185"](#)
- Manufacturer: [EGW](#)
- Product no.: 296065185
- Mfr. No.: 15013
- Colour: Green/Red
- Height: .185
- Model: Commander, Government, Officers
- Outline: None
- Style: Fiber Optic
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.005kg
- Shipping height: 5mm
- Shipping width: 79mm
- Shipping length: 119mm
- UPC: 841370103980

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for FIBER OPTIC 65 DEGREE FRONT SIGHT
- About Us

Safety Instruction Guide for FIBER OPTIC 65 DEGREE FRONT SIGHT

Introduction

Thank you for choosing the FIBER OPTIC 65 DEGREE FRONT SIGHT by EGW. This guide provides essential safety instructions and guidelines for the proper use and maintenance of your product. Please read this document carefully to ensure safe operation and compliance with EU safety regulations.

General Safety Guidelines

- Ensure the product is installed correctly to avoid any accidents or injuries.
- Regularly inspect the front sight for any signs of wear or damage before use.
- Always use the product in accordance with the manufacturer's specifications.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the front sight if it shows signs of damage or malfunction.
- Avoid exposure to extreme temperatures, moisture, or corrosive substances that may affect the sight's performance.
- Ensure the sight is securely mounted before using the firearm.
- Use appropriate eye protection when shooting to safeguard against potential hazards.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Installation

1. **Prepare Your Firearm:** Ensure the firearm is unloaded and pointed in a safe direction before beginning installation.
2. **Remove Existing Sight:** Carefully remove the current front sight using appropriate tools.
3. **Select Height:** Choose the correct height (0.185") based on your installation requirements.
4. **Install the Fiber Optic Sight:**
 - Align the sight with the mounting slot.
 - Securely fasten the sight using the provided screws or tools.
5. **Check Alignment:** Ensure the sight is properly aligned with the rear sight for optimal accuracy.

Usage

- **Aiming:** Position the front sight in your line of sight, ensuring the fiber optic insert is visible.
- **Shooting:** Maintain a steady grip and focus on the target while aligning the sights.
- **Maintenance:** Regularly clean the sight to maintain optimal performance and visibility.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and nonfood products.
- Do not dispose of the product in regular household waste.
- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the FIBER OPTIC 65 DEGREE FRONT SIGHT, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk