

# SHOTGUN SLING MOUNT - GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED

[Shotgun Parts](#) > [Stock & Forend Parts](#) > [Buttstock Hardware](#) > [Sling Swivel Components](#)

## Allows Smooth, Unrestricted Sling Movement

Designed for tactical operations, these mounts place the rear sling attachment point in front of the operator, so you can quickly shoulder your weapon without getting tangled. Allows single point sling attachment, or use with a front sling mount for two-point sling installation. Loop accepts slings up to 1¼" wide. Rear Mount installs directly behind receiver, in front of buttstock. Precision machined from aluminum billet, then hardcoat anodized matte black. Right hand model for Remington 870, 1100, and 11-87 positions sling on left side of stock. Ambidextrous model for Remington 870, 1100, and 11-87 accepts HK-style clasps and other clip-on sling fasteners. Rem Front Mount positions the sling on the right side for Remington shotguns with external retention type magazine caps.



## Attributes

- Name: [GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED](#)
- Manufacturer: [GG&G](#)
- Product no.: 336000046
- Mfr. No.: GGG-1284
- Colour: Black
- Material: Steel
- Model: 500,590
- Style: Shotgun Mount
- Weapon type: Mossberg
- Delivery weight: 0.023kg
- Shipping height: 13mm
- Shipping width: 74mm
- Shipping length: 119mm
- UPC: 813157001154

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SHOTGUN SLING MOUNT GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED](#)
- [About Us](#)

# Safety Instruction Guide for SHOTGUN SLING MOUNT GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED

## Introduction

Thank you for choosing the SHOTGUN SLING MOUNT GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED. This product is designed for tactical operations, providing a secure and efficient means to attach a sling to your shotgun. To ensure your safety and the effective use of this product, please read and follow the guidelines outlined in this manual.

## General Safety Guidelines

- Ensure that you read and understand all instructions before using the product.
- Always handle firearms and accessories with care and in accordance with safety regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly check the sling mount for wear or damage before each use.
- Use only compatible slings that meet the specified width requirements (up to 1¼" wide).
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation may result in the sling detaching during use, leading to accidents. Using incompatible slings may cause failure of the attachment.
- **Avoiding Hazards:** Always ensure that the sling mount is securely fastened before use. Use the appropriate model for your shotgun type (Right Hand, Ambidextrous, or Front Mount). Avoid using the product in extreme conditions that may affect its integrity (e.g., extreme temperatures, high humidity).
- **Age Specific Warnings:** This product is intended for adult use only. Ensure that minors are supervised when handling firearms or accessories.

## Instructions for Installation and Usage

### Installation Instructions

1. **Prepare Your Shotgun:** Ensure your shotgun is unloaded and pointed in a safe direction. Remove any existing sling attachments if necessary.
2. **Select the Appropriate Mount:** Choose the correct mount based on your shotgun model:
  - Rem Rear Mount for Right Hand use (fits Remington 870, 1100, and 1187).
  - Rem Ambidextrous Rear Mount for both Right and Left Hand use.
  - Rem Front Mount for shotguns with external retention magazine caps.
3. **Attach the Mount:** For the Rear Mount:
  - Locate the receiver area behind the receiver and in front of the buttstock.
  - Align the mount with the predrilled holes.
  - Securely fasten the mount using the provided screws.

For the Front Mount:

- Locate the front of the shotgun where the magazine cap is located.

- Follow the same alignment and securing steps as for the Rear Mount.
4. **Attach the Sling:** Loop the sling through the attachment point on the mount. Ensure the sling is securely fastened and adjusted to your preference.

## Usage Instructions

- Always ensure that the sling is properly adjusted before use.
- When shouldering the shotgun, check that the sling does not obstruct your movement or visibility.
- Regularly inspect the sling and mount for signs of wear or damage during use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer in use, consider recycling metal components where applicable.

## Contact Information for Further Support

For any inquiries regarding safety or product support, please consult the manufacturer's website or customer service. Ensure that you have the product details available for reference.

Thank you for your attention to these safety instructions. Your adherence to these guidelines will help ensure a safe and effective experience with your SHOTGUN SLING MOUNT GG&G MOSS 500/590 SINGLE POINT SLING ATTACHMENT LOOPED.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)