

NO. KL & KR SKIP CHECK REPLACEMENT CUTTERS - GUNLINE 16 LPI

[Gunsmith Tools & Supplies](#) > [Stock Work & Finishing](#) > [Hand Checkering Tools](#) > [Checkering Cutters](#)

Gunline Replacement Cutters, Less Handles; Fits All Gunline Handles

Skip-one-line cutters w/teeth on left (KL) or right (KR). 60°. 20 and 22 lpi are universal left/right.



Attributes

- Name: [GUNLINE 16 LPI](#)
- Manufacturer: [GUNLINE](#)
- Product no.: 364401003
- Mfr. No.: KLR16
- Size: 16
- Delivery weight: 0.005kg
- UPC: 818262200751

Item details

Made in USA

Table of Contents

- Startpage
- NO. KL & KR SKIP CHECK REPLACEMENT CUTTERS GUNLINE 16 LPI Safety Instruction Guide
- About Us

NO. KL & KR SKIP CHECK REPLACEMENT CUTTERS GUNLINE 16 LPI Safety Instruction Guide

Introduction

Thank you for choosing the NO. KL & KR SKIP CHECK REPLACEMENT CUTTERS from GUNLINE. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before using the cutters.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the cutters for any signs of damage or wear before use.
- Always wear appropriate personal protective equipment (PPE), such as safety goggles and gloves, when using the cutters.
- Be aware of your surroundings and ensure that no one is in the vicinity when operating the cutters.

Specific Safety Precautions for Use

- Only use the cutters with compatible checkering tools and materials.
- Avoid using excessive force when cutting to prevent damage to the product and ensure precision.
- Do not attempt to modify or alter the cutters in any way.
- If the cutters become dull or damaged, discontinue use and replace them promptly.
- Always follow the manufacturer's instructions for use and maintenance.

Instructions for Installation and Usage

1. Installation:

- Ensure that the cutter is compatible with your checkering tool.
- Securely attach the cutter to the tool, following the specific instructions provided with the tool.
- Verify that the cutter is installed correctly and is stable before proceeding.

2. Usage:

- Hold the checkering tool firmly with both hands for better control.
- Position the cutter at a 60degree angle to the work surface.
- Begin cutting gently, applying even pressure to achieve a consistent line.
- If using the 20 or 22 lpi cutters, remember that they are universal and can be used on either side.
- After completing the cutting process, carefully remove the cutter from the tool and clean it as necessary.

Disposal Instructions

- Dispose of any damaged or worn cutters in accordance with local regulations for hazardous waste.
- Ensure that the product is not accessible to children or pets during disposal.
- Recycle packaging materials where applicable, following local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the EUbased contact point provided with your product packaging. You may also check for recall updates on the EU's Safety Gate platform.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective experience with your NO. KL & KR SKIP CHECK REPLACEMENT CUTTERS.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu