

SEMI AUTO GRIP SCREWS - HOGUE SLOTTED GRIP SCREWS, BLUE, FITS SIG P226,P228, P229

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Factory Replacement Screws For Popular Semi-Autos

Blue and stainless steel slot head replacement screws maintain factory appearance. Hex head gives grips a neat, clean look, prevents burred slots.



Attributes

- Name: [HOGUE SLOTTED GRIP SCREWS, BLUE, FITS SIG P226,P228, P229](#)
- Manufacturer: [HOGUE](#)
- Product no.: 408010226
- Mfr. No.: 26008
- Model: P226,P228,P229
- Weapon type: Sig Sauer
- Quantity: 4
- Delivery weight: 0.009kg
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 743108260081

Table of Contents

- Startpage
- Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE SLOTTED GRIP SCREWS
- About Us

Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE SLOTTED GRIP SCREWS

Introduction

Thank you for choosing the SEMI AUTO GRIP SCREWS from HOGUE. These screws are designed for use with SIG P226, P228, and P229 models. This guide provides essential safety instructions to ensure safe usage and installation of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only as intended. The SEMI AUTO GRIP SCREWS are designed for specific firearm models.
- Keep the screws out of reach of children and vulnerable individuals.
- Inspect the screws regularly for signs of wear or damage. Replace any damaged screws immediately.
- If you notice any unusual behavior or performance issues with the screws, discontinue use and consult a professional.

Specific Safety Precautions for Use

- Always use the correct tools when installing or removing the screws to avoid injury or damage.
- Do not overtighten the screws, as this may strip the grip or cause damage to the firearm.
- Ensure that the firearm is unloaded and safe to handle before installing or removing screws.
- Wear safety glasses when working with tools to protect your eyes from debris.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a suitable screwdriver for the slot head screws.
- Ensure that the firearm is unloaded and in a safe condition.

2. Installation:

- Align the grip panel with the screw holes on the firearm.
- Insert the SEMI AUTO GRIP SCREWS into the designated holes.
- Use the screwdriver to tighten the screws gently. Ensure they are secure but do not overtighten.

3. Usage:

- Regularly check the screws for tightness and signs of wear.
- If you need to remove the screws, use the appropriate screwdriver and handle them carefully to avoid damage.

Disposal Instructions

- Dispose of any damaged or unused screws in accordance with local regulations.
- Do not dispose of screws in regular household waste. Check for local recycling programs or hazardous waste disposal options.

Contact Information for Further Support

For any inquiries regarding the SEMI AUTO GRIP SCREWS or if you encounter any safety issues, please consult the product packaging or the manufacturer's website for contact information.

By following these safety instructions, you can ensure a safe and effective experience with your SEMI AUTO GRIP SCREWS. Always prioritize safety and compliance with local regulations when handling firearms and related accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk