


# BUNGEE RETENTION KIT - MULTICAM

[Shooting Accessories](#) > [Tactical Gear](#) > [Accessories](#)

The Revic FH1 Fluid Head is extremely compact and lightweight, combining beautiful design and ergonomic functionality. The aircraft-grade CNC machined and hard anodized aluminum components offer excellent smoothness, stability and durability. The compact size and ease of operation make it ideally suited for field work where size, weight and durability are key. The Bungee Retention Kit is a simple way to add an additional layer of retention to magazines. Simply route the shock cord through the tabs and secure the two running ends with a square knot. Sold in a set of 3.



## Attributes

- Name: [BUNGEE RETENTION KIT - MULTICAM](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430100509
- Mfr. No.: AC-BRK-MC
- Color: Multi-Cam
- Delivery weight: 0.014kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 102mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Bungee Retention Kit Safety Instruction Guide
- About Us

# Bungee Retention Kit Safety Instruction Guide

## Introduction

Thank you for choosing the Bungee Retention Kit. This guide provides essential safety information, installation instructions, and usage guidelines to ensure the safe and effective use of the product. Please read this document carefully before use.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always inspect the product for any signs of damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about recalls and safety updates via the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Do not exceed the recommended load capacity of the bungee cords.
- Avoid using the product in extreme weather conditions that may affect performance.
- Ensure that the bungee cords are securely fastened to prevent accidental detachment.
- Regularly check the condition of the bungee cords and replace them if they show signs of wear or damage.
- Use caution when routing the shock cord through the tabs to avoid pinching or injury.

## Instructions for Installation and Usage

### 1. Installation:

- Open the packaging and ensure all components are present.
- Identify the two running ends of the shock cord.
- Route the shock cord through the designated tabs on the magazines.
- Secure the ends of the shock cord using a square knot to ensure tightness and stability.
- Confirm that the knots are secure before use.

### 2. Usage:

- Attach the magazines as required for your application.
- Regularly check the bungee retention system during use to ensure it remains secure.
- If the bungee cords become loose, retighten them immediately.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling options in your area.
- Remove any nonbiodegradable components before disposal to minimize environmental impact.

## Contact Information for Further Support

For safety inquiries or additional support, please refer to the product packaging or visit the manufacturer's website.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)