

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE), RANGER GREEN

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\), RANGER GREEN](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430100569

- Mfr. No.: PC-FO-RG-LG
- Colour: Ranger Green
- Delivery weight: 0.207kg
- Shipping height: 25mm
- Shipping width: 178mm
- Shipping length: 279mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

# Safety Instruction Guide for LV119 Front Overt Plate Bag

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to enhance your equipment's versatility and functionality. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- **Product Safety:** Ensure that the LV119 Front Overt Plate Bag is used only for its intended purpose. This product is not a toy and should not be used by children.
- **Enhanced Recalls:** Stay informed about potential recalls. In the event of a product recall, follow the provided instructions for returning or disposing of the product safely.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety requirements. Verify that the product is genuine and meets safety standards.
- **Special Consumer Focus:** Extra caution should be taken when using this product around vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Keep updated on any safety alerts regarding this product via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Ensure all components are compatible.
- **Proper Fitment:** This product is designed to fit United States Standard Issue SAPI cut plates. Check that your plates meet the following specifications:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Avoid Overloading:** Do not overload the MOLLE field or attached pouches beyond their intended capacity to prevent failure.
- **Cable Routing:** Ensure communication cables are routed properly to avoid snagging or damage during use.
- **Maintenance:** Regularly inspect the bag for wear and tear. Replace any damaged components to maintain safety and functionality.

## Instructions for Installation and Usage

### Installation

1. **Attach the Rear Bag and Cummerbund:** Ensure that the Rear Bag and Cummerbund are securely attached to the LV119 Front Overt Plate Bag for proper functionality.
2. **Insert Plates:** Place the appropriate size plates into the designated compartments of the front bag, ensuring a snug fit.
3. **Secure Accessories:** Use the 1 Inch ITW NEXUS Buckles to attach any additional accessories or placards. Ensure they are properly fastened.

## Usage

- **Wear the Bag Properly:** Adjust the straps for a secure and comfortable fit. The bag should sit snugly against your body without restricting movement.
- **Use the MOLLE Field:** Attach pouches, patches, or other accessories to the MOLLE field as needed. Ensure that all attachments are secure.
- **Communication Setup:** Connect any communication devices to the PTT/Porkchop Loop on either side of the bag. Route cables through the open shoulders to prevent tangling.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 Front Overt Plate Bag responsibly. Follow local regulations for the disposal of textile and plastic materials.
- **Recycling:** If possible, recycle components of the bag that are no longer usable. Check with local recycling centers for guidelines.

## Contact Information for Further Support

For any further questions or support regarding the LV119 Front Overt Plate Bag, please refer to the contact information provided by your retailer or manufacturer.

Thank you for following these safety instructions. Your adherence to these guidelines will help ensure a safe and effective experience with your LV119 Front Overt Plate Bag.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)