

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (MEDIUM), COYOTE BROWN

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cumberbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cumberbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cumberbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cumberbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate comms cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cumberbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(MEDIUM\), COYOTE BROWN](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430100571

- Mfr. No.: PC-FO-CB-MD
- Colour: Coyote Brown
- Delivery weight: 0.193kg
- Shipping height: 32mm
- Shipping width: 159mm
- Shipping length: 260mm

## **Item details**

Made in USA

# Table of Contents

- [Startpage](#)
- [LV119 Front Overt Plate Bag Safety Instructions](#)
- [About Us](#)

# LV119 Front Overt Plate Bag Safety Instructions

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to provide a modular and scalable solution for your equipment needs. Please read and follow these safety instructions carefully to ensure proper use and to minimize any risks associated with the product.

## General Safety Guidelines

- Always ensure that the LV119 Front Overt Plate Bag is used in conjunction with a compatible Rear Bag and Cumberbund for optimal performance.
- Check the product for any damage or wear before each use. Do not use if the bag is damaged.
- Ensure that all components are securely attached before use.
- Be aware of your surroundings and avoid using the product in situations where it may become a hazard to yourself or others.
- Keep the product out of reach of children and vulnerable individuals who may not understand its intended use.

## Specific Safety Precautions for Use

- **Compatibility:** Ensure that the plate bag is compatible with your body armor plates. The LV119 is designed to fit United States Standard Issue SAPI cut plates. Other cuts may fit, but ensure they meet the following dimensions:
  - Medium 10" x 12.5"
  - Large 10.25" x 13.25"
  - Extra Large 11" x 14.00"
  - Thickness Maximum of 1.20"
- **Cable Routing:** Take care when routing communication cables. Ensure they do not interfere with movement or pose a tripping hazard.
- **Attachment Points:** Use only the designated attachment points for accessories and ensure they are securely fastened.
- **Weight Distribution:** Be mindful of the weight distribution when loading the plate bag with additional accessories. An uneven load may affect balance and mobility.

## Instructions for Installation and Usage

### 1. Preparation:

- Before using the LV119 Front Overt Plate Bag, ensure you have all necessary components including a Rear Bag and Cumberbund.
- Inspect the product for any signs of damage.

### 2. Fitting the Plate:

- Open the front flap of the plate bag and insert the appropriate armor plate.
- Ensure the plate is centered and securely fits within the bag.

### 3. Attaching Accessories:

- Use the MOLLE field on the front of the bag to attach any desired accessories such as pouches or placards.
- Ensure all accessories are securely fastened and do not obstruct movement.

#### **4. Adjusting the Cummerbund:**

- Attach the Cummerbund to the plate bag using the designated attachment points.
- Adjust the Cummerbund for a snug fit without restricting movement.

#### **5. Cable Routing:**

- Route communication cables through the open shoulders of the bag.
- Ensure that cables do not interfere with the operation of the bag or pose a hazard.

#### **6. Final Check:**

- Before wearing the plate bag, perform a final check to ensure all components are securely attached and adjusted.

## **Disposal Instructions**

- Dispose of the LV119 Front Overt Plate Bag in accordance with local regulations for textile and plastic waste.
- If the product is damaged beyond repair, ensure it is disposed of in a manner that prevents any potential hazard to others.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the LV119 Front Overt Plate Bag, please refer to the manufacturer's website or customer support resources provided at the time of purchase.

By following these safety instructions, you can ensure a safe and effective experience with the LV119 Front Overt Plate Bag. Always prioritize safety and proper use to maximize the benefits of this product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)