

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE) - MULTICAM BLACK

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cumberbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cumberbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cumberbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cumberbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate comms cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cumberbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\) - MULTICAM BLACK](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101914

- Mfr. No.: PC-FO-MB-LG
- Colour: Multi-Cam Black
- Delivery weight: 0.207kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 267mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG](#)
- [About Us](#)

Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

Introduction

Thank you for purchasing the LV119 FRONT OVERT PLATE BAG by SPIRITUS SYSTEMS. This safety instruction guide is designed to ensure your safe use of the product and to comply with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- **Product Safety:** Always ensure that the LV119 FRONT OVERT PLATE BAG is used according to the instructions provided. This product is designed for nonfood use and should be handled with care.
- **Enhanced Recalls:** In the event of a product recall, you will be informed through standardized notices. Ensure you keep updated with any recall announcements.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety regulations applicable to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is kept out of reach of vulnerable groups.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer.
- **Rapid Alerts:** Stay informed about product safety alerts through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Proper Use:** The LV119 FRONT OVERT PLATE BAG requires a compatible Rear Bag and Cummerbund for optimal functionality. Ensure that you have all necessary components before use.
- **Compatibility:** Only use the LV119 FRONT OVERT PLATE BAG with accessories that are compatible with the LV119 SYSTEM. Mixing incompatible parts may compromise safety.
- **Weight Limitations:** Be aware of the weight of the items placed in the bag. Excessive weight may affect the performance and safety of the product.
- **Communication Equipment:** If using communication devices, ensure that cables are routed properly to avoid entanglement or damage during use.
- **Inspection:** Regularly inspect the bag for wear and tear. Do not use if any part is damaged or compromised.

Instructions for Installation and Usage

1. Assembly:

- Attach the Rear Bag and Cummerbund to the LV119 FRONT OVERT PLATE BAG as per the manufacturer's instructions.
- Ensure all connections are secure before use.

2. Mounting Accessories:

- Utilize the MOLLE field on the front bag for attaching accessories. Ensure that all attachments are secured and do not obstruct movement.
- Use the Velcro field for mounting placards, patches, or identifiers as needed.

3. Adjusting Fit:

- Adjust the shoulder straps and cummerbund for a snug fit. The bag should be comfortable and

secure without restricting movement.

4. **Communication Setup:**

- Route communication cables through the designated channels to maintain a clean and functional setup.
- Ensure that PTT cables are easily accessible but secured to prevent snagging.

5. **Usage:**

- Always wear the LV119 FRONT OVERT PLATE BAG in accordance with your operational requirements.
- Be aware of your surroundings and ensure that the bag does not interfere with your mobility or safety.

Disposal Instructions

- **End of Life:** When the LV119 FRONT OVERT PLATE BAG reaches the end of its usable life, dispose of it responsibly.
- **Recycling:** If possible, recycle the materials according to local regulations. Do not dispose of in regular waste if recycling options are available.
- **Hazardous Materials:** Ensure that any hazardous materials are disposed of in accordance with local environmental regulations.

Contact Information for Further Support

For further assistance, please refer to the support information provided by your retailer or manufacturer. It is important to reach out for help if you have any questions or concerns regarding the use of the LV119 FRONT OVERT PLATE BAG.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your LV119 FRONT OVERT PLATE BAG responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk