

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE) - WOODLAND

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\) - WOODLAND](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101916

- Mfr. No.: PC-FO-WD-LG
- Colour: Woodland
- Delivery weight: 0.207kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 267mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

# Safety Instruction Guide for LV119 Front Overt Plate Bag

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to enhance your tactical capabilities while ensuring your safety and comfort. Please read this guide carefully to understand the proper use, safety precautions, and maintenance of your plate bag.

## General Safety Guidelines

- **Product Safety:** Ensure the safe use of the LV119 Front Overt Plate Bag, which is designed to meet the safety standards set forth by the EU General Product Safety Regulation (GPSR).
- **Enhanced Recalls:** In the unlikely event of a product recall, you will be notified through standardized recall notices, and remedies will be provided free of charge.
- **Online Shopping:** If purchased online, you receive the same safety protections as if you bought the product in a physical store.
- **Special Consumer Focus:** This product is not intended for children. Ensure that only adults use it.
- **EU Contact Point:** For safety inquiries, please refer to the designated EU contact point provided by the manufacturer.
- **Rapid Alerts:** Stay informed about any updates on unsafe products via the EU's Safety Gate system.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Ensure you have compatible components.
- **Proper Fitment:** This bag is designed to fit United States Standard Issue SAPI cut plates. Verify that your plates fit within the specified dimensions:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Installation of Accessories:** Use only compatible accessories and attachments. Improper use may compromise safety.
- **Weight Distribution:** Ensure that the weight of the equipment is evenly distributed to avoid strain and potential injury.
- **Avoid Overloading:** Do not exceed the recommended load capacity of the plate bag. Overloading can lead to equipment failure or personal injury.

## Instructions for Installation and Usage

### 1. Assembly:

- Attach the Rear Bag and Cummerbund securely to the LV119 Front Overt Plate Bag.
- Ensure all buckles are fastened and adjusted for a snug fit.

### 2. Fitting the Plate:

- Insert your SAPI cut plate into the designated compartment of the front bag.
- Confirm that the plate fits securely without excessive movement.

### 3. Adjusting Straps:

- Adjust the shoulder straps to fit comfortably while allowing for adequate mobility.
- Ensure the cummerbund is snug but not overly tight.

#### **4. Using MOLLE Fields:**

- Utilize the MOLLE field for attaching accessories. Ensure that all attachments are secured properly.
- Use the Velcro field to attach placards, patches, or identifiers as needed.

#### **5. Communication Equipment:**

- Route communication cables through the designated channels to avoid snagging or damage.
- Ensure that Push To Talk (PTT) devices are accessible and properly secured.

#### **6. Regular Maintenance:**

- Inspect the plate bag regularly for signs of wear or damage.
- Clean the bag according to the manufacturer's instructions to maintain its integrity and appearance.

## **Disposal Instructions**

- When the LV119 Front Overt Plate Bag reaches the end of its life cycle, dispose of it responsibly.
- Follow local regulations for the disposal of textile products.
- Consider recycling options if available in your area.

## **Contact Information for Further Support**

For any further inquiries regarding the LV119 Front Overt Plate Bag, please refer to the contact information provided with your purchase or consult the manufacturer's website.

By following these safety instructions, you can ensure that you use the LV119 Front Overt Plate Bag effectively and safely. Thank you for your attention to these guidelines, and enjoy the enhanced capabilities of your new gear.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)