

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (MEDIUM) - WOODLAND

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(MEDIUM\) - WOODLAND](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101921

- Mfr. No.: PC-FO-WD-MD
- Colour: Woodland
- Delivery weight: 0.193kg
- Shipping height: 38mm
- Shipping width: 184mm
- Shipping length: 267mm

### **Item details**

Made in USA

# Table of Contents

- Startpage
- LV119 FRONT OVERT PLATE BAG SAFETY INSTRUCTION GUIDE
- About Us

# LV119 FRONT OVERT PLATE BAG SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to enhance your operational capabilities while ensuring safety during use. It is essential to follow the safety guidelines and instructions outlined in this guide to ensure proper usage and maintenance.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the LV119 Front Overt Plate Bag by adhering to all safety instructions.
- **Enhanced Recalls:** Be aware of any recalls related to this product. Check for updates regularly.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for children. Ensure that it is used only by trained adults.
- **EU Contact Point:** For safety inquiries, refer to the manufacturer's contact information as needed.
- **Rapid Alerts:** Stay informed about any safety alerts or updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- **Proper Use:** The LV119 Front Overt Plate Bag requires a compatible Rear Bag and Cummerbund for optimal performance. Ensure you have these components before use.
- **Compatibility:** Verify that your plate fits within the specified dimensions:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Weight Distribution:** Ensure that the bag is properly adjusted to prevent strain during use. Distribute weight evenly across the shoulders.
- **Cable Routing:** Be cautious when routing communication cables. Ensure they do not interfere with movement or safety.
- **Mounting Accessories:** Only use accessories that are compatible with the LV119 Front Overt Plate Bag. Improper accessories may compromise safety.
- **Inspection:** Regularly inspect the bag for signs of wear or damage. Do not use if any components are compromised.

## Instructions for Installation and Usage

### 1. Assembly:

- Attach the Rear Bag and Cummerbund securely to the LV119 Front Overt Plate Bag.
- Ensure all connections are tight and secure before use.

### 2. Fitting the Plate:

- Insert the appropriate plate into the bag, ensuring it fits snugly within the specified dimensions.
- Check that the plate is positioned correctly for optimal protection.

### 3. Adjusting the Fit:

- Adjust the shoulder straps and cummerbund for a comfortable and secure fit.

- Ensure that the bag does not restrict movement or vision.

#### **4. Using MOLLE Fields:**

- Utilize the MOLLE field on the front bag to attach pouches or other accessories as needed.
- Ensure that any mounted items do not obstruct movement or safety.

#### **5. Communication Cable Setup:**

- Route communication cables through the designated channels, ensuring they are secured and do not interfere with movement.
- Check that cables are not pinched or damaged during use.

#### **6. Wearing the Bag:**

- Always wear the LV119 Front Overt Plate Bag over appropriate clothing.
- Ensure that the bag is worn high enough to allow for mobility and visibility.

## **Disposal Instructions**

- **Environmental Considerations:** Dispose of the LV119 Front Overt Plate Bag in accordance with local regulations regarding textile waste.
- **Component Disposal:** If any components are damaged or no longer usable, separate them and dispose of them responsibly.
- **Recycling:** Where possible, recycle materials in accordance with local recycling guidelines.

## **Contact Information for Further Support**

For any questions or concerns regarding the LV119 Front Overt Plate Bag, please refer to the manufacturer's contact information provided with your purchase. It is important to seek assistance if you encounter any issues or have safety concerns regarding the product.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)