

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - BLACK

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cumberbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cumberbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cumberbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cumberbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate comms cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cumberbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - BLACK](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101923

- Mfr. No.: PC-FO-BK-XL
- Colour: Black
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

## **Item details**

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG](#)
- [About Us](#)

# Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

## Introduction

Thank you for choosing the LV119 FRONT OVERT PLATE BAG by SPIRITUS SYSTEMS. This product is designed to enhance your tactical capabilities while ensuring your safety and comfort. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

## General Safety Guidelines

- **Product Safety:** This product is designed to meet safety standards for nonfood items. Ensure that you follow all safety instructions to minimize risks.
- **Enhanced Recalls:** In the event of a safety concern, recall notices will be issued, and remedies will be provided free of charge.
- **Online Shopping:** When purchasing online, ensure that the platform complies with safety requirements, similar to physical stores.
- **Special Consumer Focus:** This product is intended for adult users. Extra care should be taken to keep it away from children.
- **EU Contact Point:** If you have safety inquiries, please reach out to the designated EU contact point for assistance.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cumberbund for proper operation. Ensure you have these components before use.
- **Mixing Accessories:** While accessories can be mixed and matched, ensure compatibility to avoid issues during operation.
- **Weight Considerations:** Be mindful of the weight of any accessories added to the bag, as excessive weight may affect performance.
- **Proper Fitment:** The bag is designed to fit United States Standard Issue SAPI cut plates. Ensure that your plates meet the specified dimensions:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Usage Environment:** Avoid using the bag in extreme conditions that may compromise its integrity or your safety.

## Instructions for Installation and Usage

### 1. Assembly:

- Attach the Rear Bag and Cumberbund securely to the LV119 FRONT OVERT PLATE BAG.
- Ensure all connections are tight and secure before use.

### 2. Adjusting Fit:

- Adjust the straps to ensure a snug fit against your body.
- Ensure that the bag does not restrict movement or breathing.

### 3. Attaching Accessories:

- Utilize the MOLLE field on the front bag to attach accessories.
- Use the Velcro field for attaching placards, patches, and IR identifiers.
- Ensure that any attached accessories do not obstruct visibility or movement.

#### 4. **Communication Setup:**

- Route communication cables through the open shoulders for ease of access.
- Use the PTT/Porkchop Loop for secure cable management.

#### 5. **Wearing the Bag:**

- Wear the bag over appropriate clothing, ensuring that it is not worn under tightfitting garments that may restrict access to safety features.
- If using in a lowprofile role, consider removing the clips to reduce the bag's signature.

## **Disposal Instructions**

- **Environmental Considerations:** Dispose of the LV119 FRONT OVERT PLATE BAG responsibly, following local regulations for disposal of textile materials.
- **Recycling:** If possible, recycle components of the bag that are made from recyclable materials.

## **Contact Information for Further Support**

For further assistance or inquiries regarding the LV119 FRONT OVERT PLATE BAG, please refer to the appropriate support channels provided by your retailer or manufacturer.

By following these safety instructions, you can ensure a safe and effective experience with the LV119 FRONT OVERT PLATE BAG. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)