

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - COYOTE BROWN

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cumberbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cumberbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cumberbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cumberbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate comms cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cumberbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - COYOTE BROWN](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101924

- Mfr. No.: PC-FO-CB-XL
- Colour: Coyote Brown
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

## **Item details**

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG](#)
- [About Us](#)

# Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

## Introduction

Thank you for choosing the LV119 FRONT OVERT PLATE BAG by SPIRITUS SYSTEMS. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide carefully before using the LV119 FRONT OVERT PLATE BAG.

## General Safety Guidelines

- **Product Safety:** Ensure the safe use of the LV119 FRONT OVERT PLATE BAG by following all instructions and guidelines provided.
- **Enhanced Recalls:** Be aware that if this product is found to be unsafe, standardized recall notices will be issued.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements.
- **Special Consumer Focus:** This product is designed for adult users. Extra caution should be taken when used in environments with vulnerable groups.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU-based contact point.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cumberbund for proper operation. Ensure you have compatible components.
- **Weight Limit:** Do not exceed the maximum weight limit specified for the bag as this may compromise safety and functionality.
- **Proper Fit:** Ensure the bag fits securely to your body to prevent movement during use. Refer to the fitment specifications provided.
- **Avoid Modifications:** Do not alter or modify the bag in any way as this may affect its performance and safety.
- **Regular Inspections:** Inspect the bag regularly for signs of wear and tear. Replace any damaged components immediately.
- **Child Safety:** Keep this product out of reach of children. It is intended for use by adults only.

## Instructions for Installation and Usage

1. **Check Components:** Ensure you have all necessary components including the LV119 FRONT OVERT PLATE BAG, Rear Bag, and Cumberbund.
2. **Fit the Plate Bag:**
  - Insert the appropriate plates according to the specifications:
    - Medium: 10" x 12.5"
    - Large: 10.25" x 13.25"
    - Extra Large: 11" x 14.00"
    - Thickness: Maximum of 1.20"
3. **Secure the Cumberbund:**
  - Attach the cumberbund to the plate bag using the sewn loops provided.
  - Adjust for a snug fit without restricting movement.
4. **Attach Accessories:**
  - Use the MOLLE field to attach pouches or other accessories.
  - Ensure that all attachments are secure and do not obstruct movement.
5. **Communication Setup:**
  - If using a PTT (Push To Talk) device, attach the communication cable through the designated

routing points.

- Ensure the cable is secured and does not interfere with movement.

6. **Final Check:**

- Before use, ensure all components are securely attached and the bag fits properly.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 FRONT OVERT PLATE BAG in accordance with local environmental regulations.
- **Recycling:** Where possible, recycle components of the bag that are no longer in use.
- **Hazardous Materials:** If the product contains any hazardous materials, follow appropriate disposal guidelines to minimize environmental impact.

## Contact Information for Further Support

For any questions or concerns regarding the LV119 FRONT OVERT PLATE BAG, please refer to the designated EU-based contact point or your retailer.

By following these guidelines, you can ensure the safe and effective use of the LV119 FRONT OVERT PLATE BAG. Thank you for prioritizing safety and responsible usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)