

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - MULTICAM BLACK

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - MULTICAM BLACK](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101926

- Mfr. No.: PC-FO-MB-XL
- Colour: Multi-Cam Black
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG
- About Us

Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

Introduction

Thank you for purchasing the LV119 FRONT OVERT PLATE BAG by Spiritus Systems. This product is designed to enhance your tactical capabilities while ensuring safety and comfort. It is essential to read and understand this safety instruction guide to ensure proper use and maintenance of the product.

General Safety Guidelines

- **Product Safety:** Ensure the LV119 FRONT OVERT PLATE BAG is used as intended. Familiarize yourself with the product features and limitations.
- **Enhanced Recalls:** Be aware of recall notices. If notified of a recall, follow the instructions provided for returning or disposing of the product.
- **Online Shopping:** When purchasing online, ensure the retailer complies with safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, consult the manufacturer's website or customer service.
- **Rapid Alerts:** Stay updated on safety information through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cummerbund for proper operation. Ensure you have all necessary components before use.
- **Plate Fitment:** This bag is designed to fit United States Standard Issue SAPI cut plates. Ensure your plates meet the following specifications:
 - Medium: 10" x 12.5"
 - Large: 10.25" x 13.25"
 - Extra Large: 11" x 14.00"
 - Thickness: Maximum of 1.20"
- **Avoid Overloading:** Do not exceed the weight limit of the bag. Overloading can compromise safety and functionality.
- **Cable Routing:** Ensure communication cables are routed correctly to avoid snagging or damage during use.
- **Check for Damage:** Regularly inspect the bag for any signs of wear or damage. Do not use if damaged.

Instructions for Installation and Usage

1. Assembly:

- Attach the Rear Bag and Cummerbund to the LV119 FRONT OVERT PLATE BAG as per the manufacturer's guidelines.
- Ensure all connections are secure.

2. Fitting Plates:

- Insert the appropriate size plate into the designated compartment of the bag.
- Ensure the plate fits snugly and does not exceed the specified dimensions.

3. Adjusting for Comfort:

- Adjust shoulder straps and cummerbund for a secure and comfortable fit.

- Ensure that the bag does not restrict movement.

4. Using MOLLE Fields:

- Utilize the MOLLE field to attach additional pouches or accessories as needed.
- Ensure attachments are secure and do not interfere with the use of the bag.

5. Communication Equipment:

- Connect communication devices using the PTT/Porkchop Loop.
- Route cables through the designated areas to prevent tangling.

6. Maintenance:

- Clean the bag regularly with a damp cloth and mild detergent.
- Avoid harsh chemicals that may damage the material.

Disposal Instructions

- **Proper Disposal:** Dispose of the LV119 FRONT OVERT PLATE BAG in accordance with local regulations. Do not dispose of in regular household waste if it contains hazardous materials.
- **Recycling:** If possible, recycle components of the bag according to local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding the LV119 FRONT OVERT PLATE BAG, please refer to the manufacturer's contact details available on their official website or product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk