

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - WOODLAND

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cumberbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cumberbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cumberbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cumberbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate comms cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cumberbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - WOODLAND](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101930

- Mfr. No.: PC-FO-WD-XL
- Colour: Woodland
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG](#)
- [About Us](#)

Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

Introduction

Thank you for purchasing the LV119 FRONT OVERT PLATE BAG by Spiritus Systems. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the LV119 FRONT OVERT PLATE BAG by following the instructions provided. This product is designed for nonfood use and complies with EU safety regulations.
- **Enhanced Recalls:** In the event of a safety issue, standardized recall notices will be issued. Please keep an eye out for any communications regarding product recalls.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is used only by adults who understand its operation and safety precautions.
- **EU Contact Point:** For any safety inquiries, please refer to the EU-based contact information provided with your product packaging.
- **Rapid Alerts:** Stay informed about any updates on unsafe products via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cumberbund for proper operation. Ensure you have all necessary components before use.
- **Age Restrictions:** This product is intended for adult users only. Do not allow children to use or play with this product.
- **Hazard Awareness:** Be aware of potential hazards such as improper fitting of plates, which can compromise safety.
- **Proper Fitment:** Ensure that the plates used fit within the specified dimensions:
 - Medium: 10" x 12.5"
 - Large: 10.25" x 13.25"
 - Extra Large: 11" x 14.00"
 - Thickness: Maximum of 1.20"
- **Communication Equipment:** Ensure that communication cables are routed correctly to prevent entanglement or damage.

Instructions for Installation and Usage

1. Assembly:

- Attach the Rear Bag and Cumberbund securely before using the Front Plate Bag.
- Ensure all buckles and clips are fastened properly.

2. Fitting the Plates:

- Insert the SAPI cut plates into the designated compartments of the Front Plate Bag.
- Confirm that the plates are securely held in place and do not exceed the maximum thickness.

3. Adjusting the Cumberbund:

- Adjust the cummerbund for a snug fit around your waist. It should be secure but not overly tight.

4. **Using MOLLE and Velcro Fields:**

- Utilize the 3 Row / 4 Column MOLLE field for attaching pouches, patches, or other accessories as needed.
- Use the Velcro field for mounting placards or IR identifiers.

5. **Communication Setup:**

- Attach your communication devices to the PTT/Porkchop Loop on either side of the Front Plate Bag.
- Route communication cables through the open shoulders to prevent snagging.

6. **Wearing the Plate Bag:**

- When wearing the Front Plate Bag, ensure it is properly adjusted for comfort and mobility.
- Be aware of your surroundings and avoid situations where the bag may become snagged or caught.

Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 FRONT OVERT PLATE BAG responsibly. Do not dispose of it in regular household waste.
- **Recycling:** If possible, recycle components of the product according to local recycling guidelines.
- **Hazardous Materials:** Ensure that any hazardous materials (if applicable) are handled according to local regulations.

Contact Information for Further Support

For any questions or concerns regarding the LV119 FRONT OVERT PLATE BAG, please refer to the contact information provided with your product packaging or consult the retailer from whom you purchased the item.

By following these safety instructions, you can ensure the safe and effective use of your LV119 FRONT OVERT PLATE BAG. Thank you for choosing Spiritus Systems.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk