

BACKUP FRONT AND REAR SIGHTS FOR AR-15 RIFLE - ERATAC

BACKUP OFFSET FRONT & REAR SIGHT FOR AR15 RIFLE

W/PICATINNY

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

The ERATAC® backup-sight has been developed to offer a rugged and robust sight to withstand roughest conditions while offering at the same time the precision of a competition shooting sight. The combination of steel parts where absolutely essential and high grade aluminum parts wherever sufficient, gave us the possibility to implement a sight with minimalistic design, low weight and minimum height. Thanks to a special surface treatment all parts are corrosion resistant to withstand even maritime conditions. The spring-loaded folding mechanism reliably protects the sight from damage when used under rough condition in the field. A backup-sight must enable the shooter to aim the gun quickly and intuitively especially when acting under stress. Eratac, therefore, designed the ERATAC® backup-sight in a way that the small and large ghost ring is same plane. It is not necessary to change the point of aim when the distance to the target remains unaltered. The height of this sight corresponds to the height of an AR15 standard sight and can be easily combined with products from other manufacturers. The front sight is available in two different versions. Eratac recommend to use the wide post (1.8 mm / 0.07") for military purposes. When using the sight for competition shooting the smaller version with a 1.35 mm / 0.05" wide sight insert is recommended. No tool is necessary to alter the height of the front sight. The ERATAC® backup-sight is suitable for all AR15 front sights having an 8-36 UNF thread. Because of this, a large variety of after market front sights may be used. The ERATAC® backup-sight with its very low height of only 9 mm / 0.35" also facilitates the use of extremely low mounted optics."

The ERATAC® backup-sight has been developed to offer a rugged and robust sight to withstand roughest conditions while offering at the same time the precision of a competition shooting sight. The combination of steel parts where absolutely essential and high grade aluminum parts wherever sufficient, gave us the possibility to implement a sight with minimalistic design, low weight and minimum height. Thanks to a special surface treatment all parts are corrosion resistant to withstand even maritime conditions. The spring-loaded folding mechanism reliably protects the sight from damage when used under rough condition in the field. A backup-sight must enable the shooter to aim the gun quickly and intuitively especially when acting under stress. Eratac, therefore, designed the ERATAC® backup-sight in a way that the small and large ghost ring is same plane. It is not necessary to change the point of aim when the distance to the target remains unaltered. The height of this sight corresponds to the height of an AR15 standard sight and can be easily combined with products from other manufacturers. The front sight is available in two different versions. Eratac recommend to use the wide post (1.8 mm / 0.07") for military purposes. When using the sight for competition shooting the smaller version with a 1.35 mm / 0.05" wide sight insert is recommended. No tool is necessary to alter the height of the front sight. The ERATAC® backup-sight is suitable for all AR15 front sights having an 8-36 UNF thread. Because of this, a large variety of after market front sights may be used. The ERATAC® backup-sight with its very low height of only 9 mm / 0.35" also facilitates the use of extremely low mounted optics."



Attributes

- Name: [ERATAC BACKUP OFFSET FRONT & REAR SIGHT FOR AR15 RIFLE W/PICATINNY](#)
- Manufacturer: [ERATAC](#)
- Product no.: 430105672
- Mfr. No.: T0540-1355
- Colour: Black
- Style: Offset
- Weapon type: AR-15
- Delivery weight: 0.141kg
- Shipping height: 93mm
- Shipping width: 80mm
- Shipping length: 55mm

Table of Contents

- Startpage
- Safety Instruction Guide for ERATAC® Backup Front and Rear Sights for AR15 Rifle
- About Us

Safety Instruction Guide for ERATAC® Backup Front and Rear Sights for AR15 Rifle

Introduction

Thank you for choosing the ERATAC® Backup Front and Rear Sights for your AR15 rifle. This guide provides essential safety instructions and guidelines to ensure safe usage of the product. Please read this document carefully to understand how to use your sight correctly and safely.

General Safety Guidelines

- Ensure that the sight is compatible with your AR15 model before installation.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the sight and all related components out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage before use.
- Store the sight in a cool, dry place when not in use to prevent corrosion or damage.

Specific Safety Precautions for Use

- Always check that the sight is securely mounted before firing the weapon.
- Do not attempt to adjust the sight while aiming or firing.
- Be aware of your surroundings and ensure that your shooting area is safe and free of obstacles.
- Use appropriate eye and ear protection when shooting.
- If the sight becomes damaged or malfunctions, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation

1. **Prepare the Sight:** Ensure that all components are present and free from defects.
2. **Mounting:**
 - Use the 836 UNF thread to attach the sight to your AR15 front sight base.
 - Tighten securely but avoid overtightening, which may damage the threads.
3. **Adjustment:**
 - Use the included adjustments to align the sight as per your shooting needs.
 - The wide post (1.8 mm / 0.07") is recommended for military purposes, while the smaller version (1.35 mm / 0.05") is recommended for competition shooting.

Usage

- To use the sight, fold it down when not in use and flip it up when ready to shoot.
- Ensure that the ghost rings are aligned properly for accurate aiming.
- Maintain a consistent cheek weld and sight picture for improved accuracy.

Disposal Instructions

- Dispose of the sight and any components in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries regarding safety or product support, please contact the manufacturer or your local dealer.

Conclusion

Following these safety instructions will help ensure a safe and effective experience with your ERATAC® Backup Front and Rear Sights. Always prioritize safety and responsible handling of your firearm. Thank you for your purchase, and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk