

# **BACKUP FRONT AND REAR SIGHTS FOR HECKLER AND KOCH RIFLE**

## **- ERATAC BACKUP FRONT & REAR SIGHT FOR HK TYPE RIFLES**

### **W/PICATINNY**

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

The ERATAC® backup-sight has been developed to offer a rugged and robust sight to withstand roughest conditions while offering at the same time the precision of a competition shooting sight. The combination of steel parts where absolutely essential and high grade aluminum parts wherever sufficient, gave us the possibility to implement a sight with minimalistic design, low weight and minimum height. Thanks to a special surface treatment all parts are corrosion resistant to withstand even maritime conditions. The spring-loaded folding mechanism reliably protects the sight from damage when used under rough condition in the field. A backup-sight must enable the shooter to aim the gun quickly and intuitively especially when acting under stress. Eratac, therefore, designed the ERATAC® backup-sight in a way that the small and large ghost ring is same plane. It is not necessary to change the point of aim when the distance to the target remains unaltered. The height of this sight corresponds to the height of an AR15 standard sight and can be easily combined with products from other manufacturers. The front sight is available in two different versions. Eratac recommend to use the wide post (1.8 mm / 0.07") for military purposes. When using the sight for competition shooting the smaller version with a 1.35 mm / 0.05" wide sight insert is recommended. No tool is necessary to alter the height of the front sight. The ERATAC® backup-sight is suitable for all AR15 front sights having an 8-36 UNF thread. Because of this, a large variety of after market front sights may be used. The ERATAC® backup-sight with its very low height of only 9 mm / 0.35" also facilitates the use of extremely low mounted optics. Heckler and Koch Style: Back-up sight, kit includes front-sight with 1.8 mm / 0.07" wide post and rear-sight.



#### **Attributes**

- Name: [ERATAC BACKUP FRONT & REAR SIGHT FOR HK TYPE RIFLES W/PICATINNY](#)
- Manufacturer: [ERATAC](#)
- Product no.: 430105673
- Mfr. No.: T0540-2355
- Colour: Black
- Model: MR556
- Style: Ghost Ring
- Weapon type: Heckler & Koch
- Delivery weight: 0.141kg
- Shipping height: 93mm
- Shipping width: 80mm
- Shipping length: 55mm

# Table of Contents

- Startpage
- Safety Instruction Guide for ERATAC® Backup Front and Rear Sights for Heckler and Koch Rifles
- About Us

# Safety Instruction Guide for ERATAC® Backup Front and Rear Sights for Heckler and Koch Rifles

## Introduction

Thank you for choosing the ERATAC® Backup Front and Rear Sights. This guide provides essential safety instructions and information to ensure safe and effective use of your sight. Please read this guide carefully before using the product.

## General Safety Guidelines

- Product Safety: Ensure safe use of the backup sights by following all instructions.
- Enhanced Recalls: Stay informed about any recall notices related to this product.
- Online Shopping: If purchased online, ensure the seller complies with safety requirements.
- Special Consumer Focus: Extra care should be taken when the product is used in environments with vulnerable groups.
- EU Contact Point: For any safety inquiries, refer to the designated EU contact point provided by the manufacturer.
- Rapid Alerts: Monitor the EU's Safety Gate platform for updates on product safety.

## Specific Safety Precautions for Use

- Always inspect the sight for any damage before use.
- Ensure that the sight is securely attached to the rifle before firing.
- Use the sight only for its intended purpose; do not modify it.
- Keep the sight clean and free from debris to maintain optimal performance.
- Be aware of your surroundings and ensure that you have a clear line of sight when aiming.
- Use appropriate eye and ear protection while using the rifle equipped with the sight.
- Avoid using the sight in wet or extreme conditions unless specified as suitable by the manufacturer.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Rifle:** Ensure the rifle is unloaded and pointed in a safe direction.
2. **Attach the Sight:**
  - Locate the mounting area on the rifle.
  - Align the sight with the 836 UNF thread.
  - Securely fasten the sight without overtightening.
3. **Adjust the Height:**
  - Use your hands to adjust the height of the front sight as needed.
  - Ensure the sight is stable and does not move during use.

### Usage

- **Aiming:**
  - The small and large ghost rings are designed to be in the same plane for quick aiming.
  - Maintain the same point of aim when the distance to the target is unchanged.
- **Switching Between Sights:**
  - If using different front sight versions, select the appropriate one based on your needs (1.8 mm for military, 1.35 mm for competition).
- **Folding Mechanism:**
  - Use the springloaded folding mechanism to protect the sight when not in use.
  - Ensure the sight is securely folded when not in action.

## **Disposal Instructions**

Dispose of the product in accordance with local regulations. Do not dispose of the sight in household waste. Instead, take it to a designated recycling or disposal facility for electronic or metal waste.

## **Contact Information for Further Support**

For any questions or concerns regarding the ERATAC® Backup Front and Rear Sights, please refer to the manufacturer's contact details provided in the product packaging or on their official website. Ensure you have the product information ready when seeking assistance.

By following these safety instructions, you can ensure the safe and effective use of your ERATAC® Backup Front and Rear Sights. Thank you for your attention to safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)