

# ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS - ERATAC ULTRA SLIM LEVER MOUNT LOWER 1/3 HEIGHT FOR TRIJICON RMR

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Completely redesigned Ultra-Slim-Lever mount Available in two heights: Low and Lower 1/3 Super slim, no getting stuck on top loading levers No protruding parts Low weight 100% shock proof and repeatable Reliable lever locking with pawl Clamping adjustable to the picatinny rail Milled from solid bar of high-grade aluminum 7075 All functional parts of tempered stainless steel Hard anodized according Mil-Spec Type III, black matte



## Attributes

- Name: [ERATAC ULTRA SLIM LEVER MOUNT LOWER 1/3 HEIGHT FOR TRIJICON RMR](#)
- Manufacturer: [ERATAC](#)
- Product no.: 430105681
- Mfr. No.: T6180-0039
- Colour: Black
- Fits / Used For: Trijicon RMR
- Height: 1.15"
- Weight: 0.15 lbs
- Delivery weight: 0.091kg
- Shipping height: 93mm
- Shipping width: 80mm
- Shipping length: 55mm

# Table of Contents

- Startpage
- ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS Safety Instruction Guide
- About Us

# ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS

## Safety Instruction Guide

### Introduction

Thank you for choosing the ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS by ERATAC. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of the product. Please read this manual carefully before installation and usage.

### General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Always inspect the mount for any visible damage before installation. Do not use if damaged.
- Keep the product out of reach of children and pets to prevent accidents.
- Be aware of your surroundings while using this product to avoid injury to yourself or others.
- Report any unsafe conditions or accidents to the appropriate authorities.

### Specific Safety Precautions for Use

- Do not exceed the specified weight limit of the mount.
- Ensure the mount is securely attached to the picatinny rail before use.
- Avoid using the mount in extreme weather conditions that may affect its performance.
- Regularly check the lever locking mechanism for proper function.
- Use protective eyewear if necessary when handling or installing the mount.

### Instructions for Installation and Usage

#### 1. Installation:

- Remove the mount from its packaging and inspect for any damage.
- Align the mount with the picatinny rail on your firearm.
- Adjust the clamping mechanism to secure the mount to the rail.
- Ensure the mount is level and securely fastened before proceeding.

#### 2. Usage:

- Attach your red dot sight to the mount according to the sight manufacturer's instructions.
- Perform a function check to ensure the sight is properly mounted and aligned.
- Test the lever locking mechanism to confirm it is secure before use.
- Adjust your sight as necessary for optimal performance.

### Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling materials where possible to minimize environmental impact.

### Contact Information for Further Support

For any questions or concerns regarding the ULTRA SLIM LEVER MOUNT, please refer to the manufacturer's website or customer support line for assistance. Ensure to provide product details for a quicker resolution.

By following these guidelines, you can ensure the safe and effective use of your ULTRA SLIM LEVER MOUNT FOR

RED DOT SIGHTS. Thank you for your attention to these important safety instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)