

S&W M&P CERTIFIED SPRING - ISMI 13 LB. CS S&W M&P SPRING

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Designed For Maximum Consistency & Reliability

CAD designed and manufactured to aerospace specifications from chrome silicon or chrome vanadium for maximum durability, consistency and reliable performance. Built to aerospace specifications; heat treated, shot peened and fully stress relieved to minimize spring set. Chrome silicon (CS) flat springs available in reduced power 13 lb. weight. Factory weight is 16 lb.



Attributes

- Name: [ISMI 13 LB. CS S&W M&P SPRING](#)
- Manufacturer: [ISMI](#)
- Product no.: 445000027
- Mfr. No.: MP13R
- Model: M&P
- Pounds: 13 lbs
- Weapon type: Smith & Wesson
- Delivery weight: 0.005kg
- Shipping height: 10mm
- Shipping width: 46mm
- Shipping length: 191mm

Item details

Made in USA

Table of Contents

- Startpage
- S&W M&P Certified Spring Safety Instruction Guide
- About Us

S&W M&P Certified Spring Safety Instruction Guide

Introduction

Thank you for choosing the S&W M&P Certified Spring ISMI 13 lb. CS S&W M&P Spring. This product is designed to enhance the performance of your firearm while ensuring safety and reliability. Please take a moment to read this safety instruction guide to ensure proper use and maintenance.

General Safety Guidelines

- Always handle firearms with care and treat them as if they are loaded.
- Ensure you are familiar with the operation of your firearm before using this product.
- Store the spring in a safe and secure place, out of reach of children and unauthorized users.
- Regularly inspect the spring for any signs of wear or damage before installation.
- Follow all local laws and regulations regarding firearm accessories and modifications.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or replacing the spring.
- Use proper tools when installing the spring to avoid injury or damage.
- Avoid using excessive force during installation to prevent spring deformation or breakage.
- Do not modify the spring in any way, as this may compromise its integrity and safety.
- If you experience any unusual behavior from your firearm after installation, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a screwdriver, pliers, and any other tools recommended by the firearm's manufacturer.

2. Removal of Old Spring

- Carefully disassemble the firearm according to the manufacturer's instructions.
- Remove the old spring from the recoil assembly.
- Inspect the recoil assembly for any signs of wear or damage.

3. Installation of New Spring

- Take the new S&W M&P Certified Spring and ensure it is free from any defects.
- Insert the new spring into the recoil assembly, ensuring it is seated properly.
- Reassemble the firearm, following the manufacturer's instructions carefully.

4. Testing

- After reassembly, conduct a function check to ensure the firearm operates correctly.
- If any issues arise, consult a professional gunsmith for assistance.

Disposal Instructions

- Dispose of the spring in accordance with local regulations for metal waste.
- Do not throw the spring in regular trash; instead, consider recycling options if available.

Contact Information for Further Support

For any inquiries regarding the safety, installation, or performance of the S&W M&P Certified Spring, please consult your local firearms dealer or manufacturer. Ensure to keep this guide for future reference.

Thank you for prioritizing safety and responsible use of your firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk