

BORE STIX - BORE TECH .22 CAL. 44"

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rods](#)

Fully Coated Rod Cleans Without Scratching

Cushioned handle has 22 ball bearings inside for effortless rotation so the patch always follows the rifling. Full-length epoxy coating on spring steel rod is impervious to solvents. Index dots on the handle let you check twist rates. 6mm BR rod gives an exact fit to 6mm benchrest, varmint, and hunting rifles.



Attributes

- Name: [BORE TECH .22 CAL. 44"](#)
- Manufacturer: [BORE TECH](#)
- Product no.: 509000008
- Mfr. No.: BSTX-2244-00
- Caliber: 22 Caliber (.223-.224)
- Length: 44
- Material: Epoxy Coated
- Style: Rifle
- Delivery weight: 0.349kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 1,270mm
- UPC: 667739922449

Item details

Made in USA

Table of Contents

- Startpage
- BORE STIX BORE TECH .22 CAL. 44" Safety Instruction Guide
- About Us

BORE STIX BORE TECH .22 CAL. 44" Safety Instruction Guide

Introduction

Thank you for choosing the BORE STIX BORE TECH .22 CAL. 44". This cleaning rod is designed to provide effective maintenance for your firearms. To ensure safe and effective use, please read and follow the safety guidelines outlined in this instruction guide.

General Safety Guidelines

- Always use the cleaning rod according to the manufacturer's instructions.
- Ensure the firearm is unloaded before cleaning.
- Keep the cleaning rod out of reach of children and vulnerable individuals.
- Regularly inspect the cleaning rod for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the cleaning rod only with compatible calibers as specified (22 Caliber or .223.224).
- Do not exceed the recommended length of 44 inches for your cleaning needs.
- Avoid using the cleaning rod with solvents that are not compatible with the epoxy coating.
- Ensure the handle is securely attached to the rod before use to prevent accidents.
- When using the cleaning rod, maintain a firm grip on the cushioned handle to avoid slippage.
- Be cautious of sharp edges on the cleaning rod and handle during use.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is completely unloaded.
- Gather all necessary cleaning supplies including patches, solvents, and the cleaning rod.

2. Using the Cleaning Rod:

- Insert the appropriate cleaning patch onto the cleaning rod.
- Attach the rod to the handle by ensuring the threads are securely fastened.
- Insert the cleaning rod into the barrel of the firearm slowly and gently.
- Rotate the cleaning rod to allow the patch to follow the rifling of the barrel.
- Withdraw the cleaning rod carefully after cleaning, ensuring that no patches are left behind in the barrel.
- After use, clean the rod with a suitable solvent and store it in a safe place.

3. PostUsage:

- After cleaning, check the cleaning rod for any damage or wear.
- Store the cleaning rod in a dry place to prevent corrosion or damage.

Disposal Instructions

- Dispose of the cleaning rod in accordance with local regulations.
- If the cleaning rod is damaged or no longer usable, consider recycling materials where applicable.

Contact Information for Further Support

For any questions or concerns regarding the BORE STIX BORE TECH .22 CAL. 44", please refer to the manufacturer's contact details provided on the packaging or included documentation.

Thank you for following these safety instructions. Your diligence helps ensure safe and effective use of the BORE STIX BORE TECH .22 CAL. 44".

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk