

RIMFIRE CARTRIDGE HEADSPACE GAUGES - MANSON PRECISION NO GO GAUGE FITS LR/MATCH/BENTZ STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Determine Correct Headspace

MANSON PRECISION RIMFIRE CARTRIDGE HEADSPACE GAUGES The Manson Precision Rimfire Cartridge Headspace Gauges are critical tools for gunsmiths and firearm enthusiasts, designed to precisely measure the headspace of rimfire cartridges. Proper headspace is essential for safe and reliable firearm operation, and these gauges help verify that your firearm's chamber dimensions meet specified tolerances. Key Features: Precision Measurement: Expertly crafted to ensure accurate headspace readings for rimfire cartridges, enhancing firearm performance. Durable Construction: Manufactured from M7 high-speed steel and finished in-the-white, these gauges provide long-lasting durability and resistance to wear. Cartridge Compatibility: Specifically designed for popular rimfire cartridges, including .22 Long Rifle, .22 Magnum, and .17 HMR, offering versatility across different firearm types. Specifications: Material: M7 high-speed steel Finish: In-the-white Cartridge Compatibility: .22 Long Rifle .22 Magnum .17 HMR Gauge Types: GO Gauge: Confirms the minimum chamber depth recommended for safe firearm operation. NO-GO Gauge: Detects excessive chamber depth to identify potential safety or performance issues. Customer Insights: Customers value the Manson Precision Rimfire Cartridge Headspace Gauges for their accuracy and dependability. These gauges are often highlighted as essential tools for maintaining safe and functional rimfire firearms, ensuring precise and reliable performance during operation. By adding the Manson Precision Rimfire Cartridge Headspace Gauges to your gunsmithing tools, you can confidently maintain proper headspace and enhance the safety and performance of your rimfire firearms.



Attributes

- Name: [MANSON PRECISION NO GO GAUGE FITS LR/MATCH/BENTZ STEEL](#)
- Manufacturer: [MANSON PRECISION](#)
- Product no.: 513100221
- Mfr. No.: NG22LR
- Cartridge: 22 Long Rifle
- Colour: Steel
- Height: 2"
- Length: 2"
- Material: High Speed Steel
- Model Number: No Go Gauge .22 LR
- Style: No Go Gauge
- Weight: 0.1 lbs
- Width: 2"
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- .22 RIMFIRE CARTRIDGE HEADSPACE GAUGES MANSON PRECISION NO GO GAUGE SAFETY INSTRUCTIONS
- About Us

.22 RIMFIRE CARTRIDGE HEADSPACE GAUGES

MANSON PRECISION NO GO GAUGE SAFETY

INSTRUCTIONS

Introduction

Thank you for choosing the .22 Rimfire Cartridge Headspace Gauges by Manson Precision. This guide provides important safety instructions and guidelines for the proper use of the No Go Gauge for LR/Match/Bentz steel cartridges. Please read this document carefully to ensure safe handling and operation.

General Safety Guidelines

- Ensure the gauge is used in accordance with the manufacturer's instructions.
- Always check for any visible damage or wear before using the gauge.
- Store the gauge in a safe and secure location, away from children and unauthorized users.
- Use the gauge only for its intended purpose, which is to measure the headspace of .22 Rimfire cartridges.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed on recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Mixing Brands:** Do not mix different brands of headspace gauges. Each manufacturer has specific tolerances, and mixing may lead to inaccurate readings.
- **Use Compatible Gauges:** If you have a Forster .308 GO gauge, use it with a Forster .308 NO GO gauge. Stick to one brand within a particular caliber to eliminate variables.
- **Check for Proper Fit:** Ensure the gauge fits properly in the firearm's chamber before use.
- **Inspect Before Use:** Always inspect the gauge for any signs of damage or wear before using it.
- **Follow Manufacturer Guidelines:** Adhere strictly to the manufacturer's specifications for safe use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your work area is clean and welllit.
- Gather all necessary tools and equipment before starting.

2. Using the No Go Gauge:

- Insert the No Go gauge into the chamber of the firearm.
- Gently close the bolt. If the bolt does not close completely, the chamber is within safe limits.
- If the bolt closes fully, this indicates excessive chamber depth, which may render the firearm unsafe to use. Do not attempt to fire the firearm if this occurs.

3. Maintenance:

- After use, clean the gauge to remove any debris or residue.
- Store the gauge in its protective case to prevent damage.
- Regularly check the gauge for wear and tear, and replace it if necessary.

Disposal Instructions

- Dispose of any damaged or worn gauges in accordance with local regulations for hazardous materials.
- Do not dispose of the gauge in regular household waste if it is damaged or poses a safety risk.

Contact Information for Further Support

For any inquiries regarding the safety or usage of the .22 Rimfire Cartridge Headspace Gauges, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines, you can ensure safe and effective use of your .22 Rimfire Cartridge Headspace Gauges. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk