

RIMLESS CARTRIDGE HEADSPACE GAUGE - MANSON PRECISION 22-250 REMINGTON NO-GO GAUGE HEADSPACE GAUGE STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Determine Correct Headspace

MANSON PRECISION RIMLESS CARTRIDGE HEADSPACE GAUGES The Manson Precision Rimless Cartridge Headspace Gauges enable gunsmiths and firearm enthusiasts to verify the headspace of rimless cartridges, ensuring firearms are safe to fire. Proper headspace is critical for reliable chambering, ignition, and extraction of cartridges, preventing potential malfunctions or safety hazards. These gauges are essential for chambering new barrels, performing routine maintenance, or evaluating used firearms. **Key Features:** **Precision Machining:** Each gauge is crafted from high-quality steel and machined to exact SAAMI specifications, ensuring accurate and reliable measurements. **Caliber Specificity:** Available in a wide range of calibers, these gauges cater to various firearm types, providing versatility for gunsmiths working with multiple platforms. **Durable Construction:** Built to withstand repeated use, the hardened steel construction ensures longevity and consistent performance in demanding workshop environments. **Specifications:** **Material:** Hardened steel **Dimensions:** Size varies with caliber and gauge style **Compliance:** Manufactured to SAAMI specifications **Customer Insights:** Customers value the Manson Precision Rimless Cartridge Headspace Gauges for their precision and reliability. The accurate machining and adherence to industry standards provide confidence during firearm assembly and inspection processes. Users appreciate the wide range of available calibers, allowing them to select the appropriate gauge for their specific needs. The durable construction is frequently highlighted, with many noting that the gauges maintain their accuracy even after extensive use. Incorporating the Manson Precision Rimless Cartridge Headspace Gauges into your gunsmithing toolkit ensures that your firearm chambers are within safe operational limits, enhancing both safety and performance.



Attributes

- Name: [MANSON PRECISION 22-250 REMINGTON NO-GO GAUGE HEADSPACE GAUGE STEEL](#)
- Manufacturer: [MANSON PRECISION](#)
- Product no.: 513100251
- Mfr. No.: NG22250
- Cartridge: 22-250 Remington
- Colour: Steel
- Height: 2"
- Length: 2"
- Material: Steel
- Model Number: 22-250 Remington NO GO
- Style: No Go Gauge
- Weight: 0.2 lbs
- Width: 2"
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RIMLESS CARTRIDGE HEADSPACE GAUGES MANSON PRECISION 22250 REMINGTON NOGO GAUGE SAFETY INSTRUCTIONS](#)
- [About Us](#)

RIMLESS CARTRIDGE HEADSPACE GAUGES MANSON PRECISION 22250 REMINGTON NOGO GAUGE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the RIMLESS CARTRIDGE HEADSPACE GAUGES MANSON PRECISION 22250 REMINGTON NOGO GAUGE. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully to understand how to use the gauge safely and effectively.

General Safety Guidelines

- Ensure that the headspace gauge is used in a safe and controlled environment.
- Always follow the manufacturer's instructions for use.
- Keep the gauge out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage to the gauge before use.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Stay updated on recall notices through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Proper Use:** Only use the NOGO gauge for its intended purpose, which is to measure chamber depth in firearms.
- **Mixing Brands:** Avoid mixing different brands of headspace gauges. Use the same brand for both GO and NOGO gauges in a specific caliber to ensure accuracy.
- **Tolerance Stacking:** Be aware that different manufacturers may operate within different tolerance ranges. Mixing gauges could lead to inaccurate readings.
- **Inspection:** Before each use, inspect the gauge for any signs of damage or wear. Do not use if damaged.
- **Safe Handling:** Handle the gauge with care to avoid injury. Store it in a safe place when not in use.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have the correct gauge for your firearm caliber (22250 Remington).
- Confirm that the firearm is unloaded and in a safe state before proceeding.

2. Using the NOGO Gauge:

- Insert the NOGO gauge into the chamber of the firearm.
- Attempt to close the bolt. If the bolt does not close fully, the chamber depth is within acceptable limits.
- If the bolt closes completely, this indicates excessive chamber depth and may signify an unsafe condition.

3. Using the GO Gauge:

- For verification, use the corresponding GO gauge. The bolt should close fully with the GO gauge.
- If the bolt does not close with the GO gauge, consult a qualified gunsmith.

4. PostUse:

- Clean the gauge after use to remove any debris or residue.
- Store the gauge in a protective case to prevent damage.

Disposal Instructions

- Dispose of the headspace gauge according to local regulations.
- If the gauge is damaged beyond repair, ensure it is disposed of in a manner that prevents injury to others.

Contact Information for Further Support

For additional information or support regarding the RIMLESS CARTRIDGE HEADSPACE GAUGES MANSON PRECISION 22250 REMINGTON NOGO GAUGE, please refer to the manufacturer's contact details provided with the product packaging.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your headspace gauge. Always prioritize safety and consult a professional if you have any doubts or questions regarding usage. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk