

RIMMED CARTRIDGE HEADSPACE GAUGE - MANSON PRECISION NO GO GAUGE FITS .40 SMITH & WESSON STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Determine Correct Headspace

MANSON PRECISION RIMMED CARTRIDGE HEADSPACE GAUGE The Manson Precision Rimmed Cartridge Headspace Gauges are essential tools for gunsmiths and firearm enthusiasts, designed to accurately measure the headspace of rimmed cartridges. Proper headspace is crucial for the safe and reliable operation of firearms, and these gauges ensure that your firearm's chamber dimensions are within the specified tolerances. **Key Features:**
Precision Measurement: Crafted to exacting standards, these gauges provide accurate headspace measurements for rimmed cartridges, ensuring optimal firearm performance.
Durable Construction: Made from M7 high-speed steel, these gauges are hardened and finished in-the-white, offering long-lasting durability and resistance to wear.
Compatibility: Designed to be used with corresponding brands, it's recommended to use Manson Precision gauges with Manson Precision reamers to maintain consistency and accuracy in measurements.
Specifications: Material: M7 high-speed steel Finish: In-the-white Cartridge Compatibility: Available for various rimmed cartridges; specific options can be selected based on your requirements.
Customer Insights: Users have rated the Manson Precision Rimmed Cartridge Headspace Gauges highly, with an average rating of 5.0 out of 5. Customers appreciate the precision and quality of these gauges, noting their importance in ensuring firearm safety and functionality. Incorporating the Manson Precision Rimmed Cartridge Headspace Gauges into your gunsmithing toolkit provides you with reliable and accurate tools to maintain and verify the headspace of your rimmed cartridge firearms, promoting safety and performance.



Attributes

- Name: [MANSON PRECISION NO GO GAUGE FITS .40 SMITH & WESSON STEEL](#)
- Manufacturer: [MANSON PRECISION](#)
- Product no.: 513100401
- Mfr. No.: NG40SW
- Cartridge: 40 S&W
- Colour: Steel
- Height: 0.423"
- Length: 0.865"
- Material: Steel
- Model Number: No Go Gauge .40 S&W
- Style: No Go Gauge
- Weight: 0.1 lbs
- Width: 0.423"
- Delivery weight: 0.014kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MANSON PRECISION RIMMED CARTRIDGE HEADSPACE GAUGE NO GO GAUGE FITS .40 SMITH & WESSON STEEL](#)
- [About Us](#)

Safety Instruction Guide for MANSON PRECISION RIMMED CARTRIDGE HEADSPACE GAUGE NO GO GAUGE FITS .40 SMITH & WESSON STEEL

Introduction

Thank you for choosing the MANSON PRECISION RIMMED CARTRIDGE HEADSPACE GAUGE. This guide provides important safety instructions and guidelines to ensure the proper and safe use of the product. Please read this document thoroughly before using the gauge.

General Safety Guidelines

- Ensure that the gauge is used in accordance with the manufacturer's specifications.
- Always inspect the gauge for any signs of damage before use.
- Use the gauge in a safe and controlled environment to minimize risks.
- Always follow local laws and regulations regarding firearms and ammunition.
- Keep the gauge out of reach of children and unauthorized users.

Specific Safety Precautions for Use

- Do not mix and match brands of headspace gauges. Use the same brand for both GO and NO/GO gauges to avoid inaccurate readings.
- Ensure that the gauge is clean and free from debris before use.
- Do not force the gauge into the chamber. If it does not fit, stop and inspect for issues.
- Always wear appropriate eye protection when using firearms and related tools.
- Be aware of the maximum chamber depth and ensure that the gauge provides a small safety margin.
- If unsure about the gauge's readings, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and equipment for the task.

2. Using the GO Gauge:

- Insert the GO gauge into the chamber of the firearm.
- The gauge should fit snugly without forcing it. If it does not fit, do not attempt to modify the gauge or the chamber.

3. Using the NO/GO Gauge:

- After confirming the fit of the GO gauge, insert the NO/GO gauge into the chamber.
- The NO/GO gauge should be slightly shorter than the SAMMI recommended maximum chamber depth. If it fits, consult a qualified gunsmith for further evaluation.

4. PostUse:

- After using the gauges, clean them and store them in a safe place.
- Regularly inspect the gauges for wear and tear to ensure continued accuracy.

Disposal Instructions

- Dispose of the gauge in accordance with local regulations.
- If the gauge is damaged or no longer usable, ensure that it is disposed of in a way that prevents accidental use.

Contact Information for Further Support

- For any inquiries regarding safety or product usage, please reach out to the manufacturer's customer support or consult a qualified gunsmith.

Conclusion

Following these safety guidelines will help ensure that you use the MANSON PRECISION RIMMED CARTRIDGE HEADSPACE GAUGE safely and effectively. Always prioritize safety and consult professionals when in doubt. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk