

LEWIS LEAD REMOVER FOR RIFLES & SHOTGUNS - BROWNELLS

LEWIS LEAD REMOVER SHOTGUN KIT, 20 GAUGE

[Gun Cleaning & Chemicals](#) > [Patches & Mops](#) > [Lead Remover](#)

Traditional - & Still The Best Mechanical Deleader

Removes even the toughest lead and wad fouling from your rifle or shotgun. Brass patches rid the bore of lead and plastic deposits without causing any damage to the rifling or bore. Tips attach to any cleaning rod with 8-32 threads. Follow with J-B Bore Cleaner for a truly clean bore.



Attributes

- Name: [BROWNELLS LEWIS LEAD REMOVER SHOTGUN KIT, 20 GAUGE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 516102002
- Mfr. No.:
- Caliber: 20 Gauge
- Delivery weight: 0.014kg
- Shipping height: 18mm
- Shipping width: 79mm
- Shipping length: 104mm
- UPC: 050806106970

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Lewis Lead Remover for Rifles & Shotguns](#)
- [About Us](#)

Safety Instruction Guide for Lewis Lead Remover for Rifles & Shotguns

Introduction

Thank you for choosing the Lewis Lead Remover for Rifles & Shotguns by BROWNELLS. This product is designed to effectively remove lead and wad fouling from your firearm. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure the firearm is unloaded before using the lead remover.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only as intended and according to the instructions provided.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Wear safety goggles to protect your eyes from debris during cleaning.
- Use gloves to prevent skin contact with lead and cleaning materials.
- Ensure adequate ventilation in your cleaning area to avoid inhaling fumes.
- Inspect the lead remover and its components for damage before use.
- Do not use the product if you notice any signs of wear or malfunction.
- Keep the lead remover away from heat sources and open flames.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary materials: Lewis Lead Remover kit, cleaning rod, and JB Bore Cleaner.

2. Attaching the Lead Remover:

- Select the appropriate brass patch for your firearm caliber (20 gauge).
- Attach the rubber tip to the cleaning rod by screwing it onto the 832 threads.
- Ensure that the connection is secure before proceeding.

3. Using the Lead Remover:

- Insert the brass patch into the bore of the firearm.
- Gently push and pull the cleaning rod through the bore to remove lead and wad fouling.
- Repeat the process as necessary until the bore is clean.
- Follow up with JB Bore Cleaner for a thorough cleaning of the bore.

4. PostUse Care:

- Clean the brass patches and the rubber tip after use.
- Store the lead remover kit in a safe, dry place away from children.

Disposal Instructions

- Dispose of used brass patches and any cleaning materials in accordance with local regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the Lewis Lead Remover, please refer to the manufacturer's contact information provided on the product packaging or visit the official website.

By following these safety instructions, you can ensure a safe and effective experience while using the Lewis Lead Remover for Rifles & Shotguns. Thank you for prioritizing safety and responsible firearm maintenance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk