

SHOTGUN BARREL HONE - LISLE CORPORATION NO. 2-S STONES, ONLY

[Gunsmith Tools](#) > [Shotgun Tools](#) > [Barrel Hones & Accessories](#)

Brings Bores & Chokes Back to New-Or-Better Polish

Ample range for 28 gauge to 12 gauge Flex-drive eliminates chatter, gouging.



Attributes

- Name: [LISLE CORPORATION NO. 2-S STONES, ONLY](#)
- Manufacturer: [LISLE CORPORATION](#)
- Product no.: 531107602
- Mfr. No.:
- Weapon type: Universal Shotguns
- Delivery weight: 0.045kg
- Shipping height: 8mm
- Shipping width: 79mm
- Shipping length: 109mm
- UPC: 083045107606

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SHOTGUN BARREL HONE LISLE CORPORATION NO. 2S STONES, ONLY
- About Us

Safety Instruction Guide for SHOTGUN BARREL HONE LISLE CORPORATION NO. 2S STONES, ONLY

Introduction

Thank you for choosing the SHOTGUN BARREL HONE LISLE CORPORATION NO. 2S STONES, ONLY. This product is designed for honing shotgun barrels, providing an ample range for 28 gauge to 12 gauge shotguns. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE), including safety goggles and gloves.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Follow all local regulations regarding the use and disposal of tools and equipment.

Specific Safety Precautions for Use

- Do not use the product if you are under the influence of drugs or alcohol.
- Maintain a clean and welllit workspace to avoid accidents.
- Avoid using excessive force while honing; let the tool do the work to prevent damage to the barrel or injury to yourself.
- Ensure that the shotgun is unloaded and pointed in a safe direction before using the hone.
- Do not attempt to modify or alter the product in any way.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and PPE before starting.
- Make sure the shotgun is completely unloaded.

2. Installation:

- Insert the hone into the appropriate flexdrive tool, ensuring a secure fit.
- Check that the diameter of the shaft (0.2600.270" or 6.604mm6.858mm) matches the requirements of your shotgun barrel.

3. Honing Process:

- Align the hone with the barrel opening.
- Start the flexdrive tool at a low speed to avoid chatter and gouging.
- Gradually increase the speed as needed, applying light pressure.
- Move the hone in and out of the barrel smoothly, maintaining a consistent motion.

4. PostUsage:

- After honing, clean the barrel thoroughly to remove any debris or residue.
- Inspect the hone for wear and replace if necessary.

Disposal Instructions

- Dispose of the product and any worn or damaged components according to local regulations.
- Do not dispose of the product in regular household waste. Check for designated disposal sites for tools and equipment.

Contact Information for Further Support

For any safety inquiries or concerns regarding this product, please refer to the manufacturer's contact information provided on the packaging or product documentation.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the SHOTGUN BARREL HONE LISLE CORPORATION NO. 2S STONES, ONLY. Always prioritize safety and adhere to the guidelines provided in this document. Thank you for your attention and safe honing!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk