

IMPACT DRIVER - LISLE CORPORATION IMPACT DRIVER

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Screwdrivers & Sets](#) > [Impact Drivers](#)

If It's Going To Come Out-This Will Do It

Loosen frozen screws or securely tighten those that want to work loose (like scope base screws). Gives rotary impact power that hand tightening can't, and won't twist screw heads off.



Attributes

- Name: [LISLE CORPORATION IMPACT DRIVER](#)
- Manufacturer: [LISLE CORPORATION](#)
- Product no.: 531290000
- Mfr. No.: 29000
- Kit: Components
- Style: Handle
- Delivery weight: 0.771kg
- Shipping height: 30mm
- Shipping width: 43mm
- Shipping length: 140mm
- UPC: 083045290001

Item details

Made in USA

Table of Contents

- Startpage
- IMPACT DRIVER Safety Instruction Guide
- About Us

IMPACT DRIVER Safety Instruction Guide

Introduction

Thank you for choosing the IMPACT DRIVER from LISLE CORPORATION. This powerful tool is designed to help you loosen frozen screws and securely tighten screws that may work loose, such as scope base screws. This guide provides important safety instructions and guidelines to ensure safe and effective use of the IMPACT DRIVER.

General Safety Guidelines

- Always read and understand the user manual before using the product.
- Ensure that the IMPACT DRIVER is used in accordance with the manufacturer's instructions.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool before each use to ensure it is in good working condition.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves.
- Do not use the IMPACT DRIVER for any purpose other than its intended use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the work area is clean, dry, and welllit to prevent accidents.
- Do not exceed the recommended torque settings to avoid damaging screws or the tool.
- Avoid using the IMPACT DRIVER in wet or damp conditions to prevent electrical hazards.
- Always secure the workpiece before using the IMPACT DRIVER to prevent slippage.
- Do not attempt to disassemble or modify the IMPACT DRIVER.
- If the tool becomes damaged or malfunctions, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure the IMPACT DRIVER is unplugged or not connected to any power source before making any adjustments or changing bits.
- Select the appropriate MAGNATIP bit for the screw you intend to work with.

2. Bit Installation:

- Insert the selected MAGNATIP bit into the 3/8" (9.5mm) sq. drive (female) socket of the Bit Holder.
- Ensure the bit is securely locked in place.

3. Using the IMPACT DRIVER:

- Position the bit over the screw head and apply firm pressure.
- Activate the IMPACT DRIVER according to the manufacturer's instructions.
- Allow the tool to apply rotary impact power to loosen or tighten the screw without twisting the screw head off.
- Release the trigger to stop the tool once the screw is securely fastened or loosened.

4. PostUse:

- After use, remove the bit from the Bit Holder and clean the tool to remove any debris.
- Store the IMPACT DRIVER in a dry place, away from children and pets.

Disposal Instructions

- Dispose of the IMPACT DRIVER in accordance with local regulations for electronic waste.
- Do not throw the tool in regular household waste.
- If you are unsure about disposal methods, consult your local waste management authority for guidance.

Contact Information for Further Support

For any questions, concerns, or safety inquiries regarding the IMPACT DRIVER, please refer to the manufacturer's website or contact your local distributor for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority. Enjoy using your IMPACT DRIVER!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk