

#638 RETAINING COMPOUND - LOCTITE #638 RETAINING COMPOUND 0.34 FL OZ

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Thread Locking Liquids](#)

Fast Drying, Super Adhesive For Maximum Strength, Bonding Applications

#638 RETAINING COMPOUND The LOCTITE® #638 Retaining Compound is a high-strength adhesive designed for securing cylindrical parts, such as bushings, bearings, and sleeves, to prevent movement and leakage. This compound is particularly effective in applications where high temperature resistance and oil tolerance are required. Key Features: High-Strength Bonding: Provides robust adhesion for cylindrical assemblies, ensuring components remain securely in place during operation. Oil Tolerant: Capable of curing on surfaces with minor oil contamination, making it suitable for use without extensive cleaning. Temperature Resistance: Maintains performance in high-temperature environments, ensuring reliability under thermal stress. Specifications: Container Size: 0.34 fl oz (10 mL) Color: Red Application: Ideal for bonding cylindrical parts, such as bushings, bearings, and sleeves. Customer Insights: Users of the LOCTITE® #638 Retaining Compound have reported high satisfaction, noting its effectiveness in securing components and preventing movement. The compound has received a 5.0-star rating, reflecting its reliability and performance in various applications. Incorporating the LOCTITE® #638 Retaining Compound into your maintenance and assembly processes ensures durable and dependable bonding of cylindrical components, enhancing the longevity and performance of your equipment.



Attributes

- Name: [LOCTITE #638 RETAINING COMPOUND 0.34 FL OZ](#)
- Manufacturer: [LOCTITE](#)
- Product no.: 532000008
- Mfr. No.: 1835937
- Colour: Red
- Size: .34 oz
- Delivery weight: 0.023kg
- Shipping height: 28mm
- Shipping width: 48mm
- Shipping length: 91mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [LOCTITE #638 Retaining Compound Safety Instruction Guide](#)
- [About Us](#)

LOCTITE #638 Retaining Compound Safety Instruction Guide

Introduction

Thank you for choosing LOCTITE #638 Retaining Compound. This guide provides essential safety information to ensure the safe and effective use of this product. Please read the instructions carefully before use to avoid any potential hazards.

General Safety Guidelines

- Always use LOCTITE #638 Retaining Compound in a wellventilated area.
- Keep the product out of reach of children and pets.
- Avoid contact with skin and eyes. In case of contact, rinse thoroughly with water.
- Do not ingest. If swallowed, seek medical attention immediately.
- Store the product in a cool, dry place, away from direct sunlight and heat sources.
- Dispose of unused product and containers in accordance with local regulations.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):**

- Wear safety goggles to protect your eyes.
- Use gloves to prevent skin contact.
- Consider wearing a mask if working in a poorly ventilated area.

- **Hazard Identification:**

- The product may cause skin and eye irritation.
- Inhalation of vapors may cause respiratory irritation.
- Ensure that you are aware of the potential hazards before use.

- **Emergency Measures:**

- In case of skin contact, wash the affected area with soap and water.
- In case of eye contact, rinse immediately with plenty of water and seek medical attention.
- If inhaled, move to fresh air and seek medical help if symptoms persist.

Instructions for Installation and Usage

1. **Preparation:**

- Ensure that the surfaces to be bonded are clean and free from dust, oil, or grease.
- If necessary, use a suitable solvent to clean the surfaces.

2. **Application:**

- Shake the bottle well before use.
- Apply a thin layer of LOCTITE #638 Retaining Compound to one of the surfaces to be bonded.
- Assemble the parts within 10 minutes of application.

3. **Curing:**

- Allow the compound to cure for at least 24 hours at room temperature for optimal bonding strength.
- Full strength is typically achieved after 72 hours.

4. Storage:

- After use, close the bottle tightly and store it in a cool, dry place.
- Do not store near heat sources or open flames.

Disposal Instructions

- Dispose of any leftover product and its container according to local waste disposal regulations.
- Do not dispose of the product in household waste or down the drain.

Contact Information for Further Support

For questions or concerns regarding the LOCTITE #638 Retaining Compound, please refer to the product packaging or your point of purchase for contact details of the manufacturer or local distributor.

By following these safety instructions, you can ensure the safe and effective use of LOCTITE #638 Retaining Compound. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk