

# WINCHESTER 1886 MODEL 66 WB - LYMAN WINCHESTER 1886 ADJUSTABLE RECEIVER SIGHT MODEL 66 WB BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Rugged and precise sights, machined to hug the receiver for lowest line of sight, least protrusion. Audible-click, 1/4" minute adjustments for elevation and windage. Elevation slide is scribed in 3 minute increments. Quick release allows slide to be removed with a press of a button. Elevation stop screw permits instantaneous return to zero.



## Attributes

- Name: [LYMAN WINCHESTER 1886 ADJUSTABLE RECEIVER SIGHT MODEL 66 WB BLACK](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539000004
- Mfr. No.: 3662265
- Color: Black
- Make: Winchester
- Model: 1886
- Style: Adjustable,Tang Sights
- Delivery weight: 0.045kg
- UPC: 011516322654

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for WINCHESTER 1886 MODEL 66 WB LYMAN Adjustable Receiver Sight](#)
- [About Us](#)

# Safety Instruction Guide for WINCHESTER 1886 MODEL 66 WB LYMAN Adjustable Receiver Sight

## Introduction

Thank you for choosing the WINCHESTER 1886 MODEL 66 WB LYMAN Adjustable Receiver Sight. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this manual thoroughly before installation and use.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Keep the sight out of reach of children and vulnerable individuals.
- Inspect the sight regularly for any signs of damage or wear.
- Do not modify the sight in any way; alterations can compromise safety.
- Use the sight only with compatible firearms to prevent accidents.
- Follow all local laws and regulations regarding firearm accessories.

## Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or adjusting the sight.
- Avoid using the sight in adverse weather conditions that may impair visibility.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use appropriate eye and ear protection when using firearms equipped with this sight.
- Familiarize yourself with the operation of the sight before use.
- Do not use the sight if it has been damaged or if parts are missing.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Firearm:** Ensure the firearm is completely unloaded and pointed in a safe direction.
2. **Remove Existing Sights:** If applicable, carefully remove any existing sights from the firearm.
3. **Attach the Receiver Sight:**
  - Align the sight with the receiver of the firearm.
  - Securely attach the sight using the provided mounting hardware without overtightening.
4. **Adjust the Elevation and Windage:** Use the audibleclick adjustments to set the elevation and windage according to your shooting preferences.
5. **Test the Sight:** Before heading to the shooting range, test the sight for stability and functionality.

### Usage

- **Adjustments:** Use the elevation slide and windage adjustments to finetune your aim.
- **Return to Zero:** Utilize the elevation stop screw for quick adjustments back to your original settings.
- **Maintenance:** Regularly clean the sight with a soft cloth and inspect for any wear or damage.

## Disposal Instructions

- Dispose of the sight in accordance with local regulations concerning electronic and metal waste.
- Do not throw the product in regular household waste; consider recycling options.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding the WINCHESTER 1886 MODEL 66 WB LYMAN Adjustable Receiver Sight, please refer to the included warranty or product documentation for details on customer support.

Thank you for prioritizing safety and responsible usage. Enjoy your shooting experience with the WINCHESTER 1886 MODEL 66 WB LYMAN Adjustable Receiver Sight!

# About Us

## Brownells Europe

**Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300&nbsp;  
Warwick&nbsp;  
CV34 9BR&nbsp;

[www.brownells.eu](http://www.brownells.eu)