


# RIFLE TARGET FRONT SIGHT 17 AML - LYMAN .494" TARGET FRONT SIGHT 17 AML STEEL BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Low silhouette, all steel front sight with eight interchangeable sight inserts that are locked into place by threaded cap. Sight includes insert set.



## Attributes

- Name: [LYMAN .494" TARGET FRONT SIGHT 17 AML STEEL BLACK](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539017446
- Mfr. No.: 3090115
- Colour: Black
- Height: .494
- Material: Steel
- Style: Target
- Weapon type: Universal Rifles
- Delivery weight: 0.018kg
- Shipping height: 8mm
- Shipping width: 58mm
- Shipping length: 112mm
- UPC: 011516301154

## Item details

Made in USA

# Table of Contents

- Startpage
- RIFLE TARGET FRONT SIGHT 17 AML LYMAN Safety Instruction Guide
- About Us

# RIFLE TARGET FRONT SIGHT 17 AML LYMAN

## Safety Instruction Guide

### Introduction

Thank you for choosing the RIFLE TARGET FRONT SIGHT 17 AML LYMAN. This guide provides essential safety instructions to ensure the safe and effective use of your new product. Please read this manual carefully before installation and usage.

### General Safety Guidelines

- Ensure the product is used only as intended.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the front sight for any signs of wear or damage before each use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

### Specific Safety Precautions for Use

- Use only the recommended sight inserts provided with the product.
- Ensure that the sight is securely installed before use.
- Do not modify or alter the product in any way.
- Always use the sight in a safe environment, free from potential hazards.
- Wear appropriate safety gear, including eye protection, when using firearms.

### Instructions for Installation and Usage

#### 1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing sight from the firearm.
- Select a suitable sight insert from the provided set.
- Align the dovetail base of the front sight with the dovetail slot on the firearm.
- Gently tap the sight into place, ensuring it is secure.
- Lock the sight insert into place using the threaded cap.

#### 2. Usage

- Before each use, verify that the front sight is securely attached and the insert is locked.
- Adjust the sight as necessary for optimal accuracy.
- Practice safe handling and shooting techniques at all times.

### Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for metal components where available.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)