

# RIFLE TARGET FRONT SIGHT 17 ATC - LYMAN .854" TARGET FRONT SIGHT 17 ATC STEEL BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Low silhouette, all steel front sight with eight interchangeable sight inserts that are locked into place by threaded cap. Sight includes insert set.



## Attributes

- Name: [LYMAN .854" TARGET FRONT SIGHT 17 ATC STEEL BLACK](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539017852
- Mfr. No.:
- Color: Black
- Height: .854
- Make: Universal Rifles
- Material: Steel
- Style: Target
- Delivery weight: 0.045kg
- UPC: 011516301161

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RIFLE TARGET FRONT SIGHT 17 ATC LYMAN](#)
- [About Us](#)

# Safety Instruction Guide for RIFLE TARGET FRONT SIGHT 17 ATC LYMAN

## Introduction

Thank you for choosing the RIFLE TARGET FRONT SIGHT 17 ATC LYMAN. This guide provides essential safety instructions and information to ensure the safe use of your product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Inspect the product regularly for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose, as specified by the manufacturer.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the front sight is securely attached to the rifle before use.
- Do not attempt to modify the front sight or its components.
- Use only the recommended sight inserts provided with the product.
- Avoid using the product in adverse weather conditions that may affect visibility or stability.
- Always wear appropriate eye protection when using firearms equipped with this sight.

## Instructions for Installation and Usage

### 1. Installation

- Ensure that the rifle is unloaded and the safety is engaged before installation.
- Remove the existing front sight if necessary.
- Align the dovetail base of the front sight with the standard dovetail on the rifle.
- Gently slide the front sight into place, ensuring it is securely fitted.
- Use a threaded cap to lock the sight insert into place.

### 2. Usage

- Select the appropriate sight insert based on your shooting needs.
- Insert the chosen sight insert into the front sight and secure it with the threaded cap.
- Adjust the sight as needed for optimal accuracy.
- Always check the alignment and stability of the sight before each use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Contact your local waste management facility for guidance on proper disposal methods.

## Contact Information for Further Support

For any inquiries or assistance regarding the RIFLE TARGET FRONT SIGHT 17 ATC LYMAN, please refer to the manufacturer's website or contact their customer support.

Thank you for your attention to these safety instructions. Enjoy your shooting experience responsibly and safely!

# About Us

## Brownells Europe

**Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300&nbsp;  
Warwick&nbsp;  
CV34 9BR&nbsp;

[www.brownells.eu](http://www.brownells.eu)