

RIFLE TARGET 20 MJT FRONT SIGHT - LYMAN .700" TARGET 20 MJT FRONT SIGHT STEEL BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Machined steel, globe front with interchangeable inserts.



Attributes

- Name: [LYMAN .700" TARGET 20 MJT FRONT SIGHT STEEL BLACK](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539620000
- Mfr. No.: 3201150
- Colour: Black
- Height: .700
- Material: Steel
- Style: Target
- Weapon type: Universal Rifles
- Delivery weight: 0.068kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 109mm
- UPC: 011516311504

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE TARGET 20 MJT FRONT SIGHT LYMAN
- About Us

Safety Instruction Guide for RIFLE TARGET 20 MJT FRONT SIGHT LYMAN

Introduction

Thank you for choosing the RIFLE TARGET 20 MJT FRONT SIGHT LYMAN. This product is designed for use with universal rifles and provides a reliable and adjustable sighting option. To ensure your safety and the safe use of this product, please read and follow the guidelines outlined in this document.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's specifications.
- Always handle firearms safely and responsibly.
- Store this product in a secure location away from children and unauthorized users.
- Regularly inspect the sight for wear and tear, and replace if necessary.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the front sight if it appears damaged or defective.
- Ensure that the rifle is unloaded before installing or adjusting the sight.
- Always wear appropriate eye protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use only the recommended inserts with this front sight to avoid malfunction.
- Keep hands and fingers clear of the sighting mechanism during adjustments.

Instructions for Installation and Usage

1. Installation:

- Ensure the rifle is unloaded.
- Locate the dovetail slot on your rifle where the sight will be installed.
- Slide the front sight into the dovetail slot until it is securely in place.
- Adjust the sight to the desired position, ensuring it is level and aligned with the rifle barrel.

2. Adjustment:

- Use the included posts and aperture inserts to customize your sighting experience.
- To change inserts, carefully remove the existing insert and replace it with the desired one.
- Ensure all components are securely tightened after adjustments.

3. Usage:

- Before each use, doublecheck that the sight is securely attached and that all adjustments are properly set.
- Practice safe shooting habits and ensure that you are familiar with your rifle's operation.
- Regularly clean and maintain the sight to ensure optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling options for metal components when applicable.

Contact Information for Further Support

For any inquiries or concerns regarding the RIFLE TARGET 20 MJT FRONT SIGHT LYMAN, please contact the manufacturer or a qualified professional. Ensure that you have the product details at hand for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your RIFLE TARGET 20 MJT FRONT SIGHT LYMAN. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk