

SEMI-AUTO RIFLE RECOIL PAD - JOHN MASEN RUGER RECOIL PAD

[Home](#)

Extra-Length Plus No-Slip Surface

JOHN MASEN SEMI-AUTO RIFLE RECOIL PAD Increases stock length to better fit shooters with long arms. Provides a cushioned, recoil absorbing, non-slip surface. Replaces original pad with no permanent alterations. AR-15/M16 model fits A-1 and A-2 trap door buttstocks; adds $\frac{3}{4}$ " length. CAR-15 model fits collapsible stock; adds $\frac{3}{4}$ ". SPECS: Polyethylene rubber, black. Serrated face.



Attributes

- Name: [JOHN MASEN RUGER RECOIL PAD](#)
- Manufacturer: [JOHN MASEN](#)
- Product no.: 560153807
- Mfr. No.:
- Color: Black
- Material: Rubber
- Style: Standard
- Delivery weight: 0.113kg

Item details

Made in USA

Table of Contents

- Startpage
- SEMIAUTO RIFLE RECOIL PAD JOHN MASEN RUGER RECOIL PAD Safety Instruction Guide
- About Us

SEMI AUTO RIFLE RECOIL PAD JOHN MASEN RUGER RECOIL PAD Safety Instruction Guide

Introduction

Thank you for choosing the SEMIAUTO RIFLE RECOIL PAD by John Masen. This guide provides important safety information to ensure the safe use and installation of the recoil pad. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the recoil pad is compatible with your firearm model to avoid any safety hazards.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the recoil pad and all firearm accessories out of reach of children and unauthorized users.
- Inspect the recoil pad regularly for wear and damage. Do not use if damaged.
- In case of any doubts or questions regarding the product, seek professional advice.

Specific Safety Precautions for Use

- Use the recoil pad only for its intended purpose, which is to enhance comfort and fit for shooters with long arms.
- Always ensure that the firearm is unloaded before installing or adjusting the recoil pad.
- Do not make any permanent alterations to your firearm when installing the recoil pad.
- Avoid using the recoil pad in wet or slippery conditions to prevent loss of grip.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, if required.

2. Installation

- Remove the original recoil pad from your firearm according to the manufacturer's instructions.
- Align the SEMIAUTO RIFLE RECOIL PAD with the stock of your firearm.
- Securely attach the recoil pad, ensuring it fits snugly without any gaps.
- For AR15/M16 models, ensure the pad fits A1 and A2 trap door buttstocks, adding $\frac{3}{4}$ " length.
- For CAR15 models, confirm that it fits collapsible stocks, adding $\frac{3}{4}$ ".
- For M14/M1A models, ensure it adds $\frac{7}{8}$ ".
- For Ruger® models, confirm compatibility with 10/22®, MiniThirty®, and Model 96™. Note that it does not fit Mini14 with serial numbers beginning at 580 and higher.

3. Usage

- Once installed, check that the recoil pad is secure before using the firearm.
- Maintain a firm grip on the firearm while shooting to utilize the cushioned, recoilabsorbing features of the pad.
- Regularly inspect the recoil pad for any signs of wear or damage during usage.

Disposal Instructions

- Dispose of the recoil pad in accordance with local waste disposal regulations.
- If the recoil pad is damaged or no longer needed, consider recycling options if available.

Contact Information for Further Support

For any questions or concerns regarding the SEMIAUTO RIFLE RECOIL PAD, please refer to the manufacturer's contact information available on the product packaging or website.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with the SEMIAUTO RIFLE RECOIL PAD. Always prioritize safety and responsible firearm use. Thank you for your attention to these important guidelines.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu