


VENT RIB TOOL - MURRAYS VENT RIB TOOL

[Gunsmith Tools](#) > [Shotgun Tools](#) > [Straighteners & Dent Raisers](#)

Straightens Dented Vent Ribs

Pulls out dented shotgun vent ribs in only minutes. Easy to attach, and quick to use. Brass bridge won't mark top of rib; steel jaws self-adjust.



Attributes

- Name: [MURRAYS VENT RIB TOOL](#)
- Manufacturer: [MURRAYS](#)
- Product no.: 563100000
- Mfr. No.: NONE
- Weapon type: Universal Shotguns
- Delivery weight: 0.023kg
- Shipping height: 18mm
- Shipping width: 58mm
- Shipping length: 94mm

Item details

Made in USA

Table of Contents

- Startpage
- VENT RIB TOOL Safety Instruction Guide
- About Us

VENT RIB TOOL Safety Instruction Guide

Introduction

Thank you for choosing the VENT RIB TOOL by MURRAYS. This tool is designed to safely and efficiently pull out dented shotgun vent ribs in just minutes. Please read this safety instruction guide carefully to ensure safe usage and maintenance of the product.

General Safety Guidelines

- Always use the VENT RIB TOOL as intended, following the instructions provided in this guide.
- Keep the tool out of reach of children and vulnerable individuals to prevent accidents.
- Inspect the tool regularly for any signs of damage or wear. Do not use if damaged.
- Ensure that the working area is clean and free from distractions to maintain focus while using the tool.
- Report any unsafe product experiences to the appropriate authorities and check for product recalls regularly.
- Familiarize yourself with the EU Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as eye protection, when using the tool.
- Ensure that the shotgun is unloaded and safe before attaching the VENT RIB TOOL.
- Do not apply excessive force when using the tool to avoid damaging the shotgun or causing injury.
- Never use the tool on vent ribs that are not compatible with the VENT RIB TOOL.
- Store the tool in a safe location when not in use to prevent accidents.

Instructions for Installation and Usage

1. Preparation:

- Ensure your shotgun is unloaded and placed in a stable position.
- Gather all necessary items, including the VENT RIB TOOL.

2. Attaching the Tool:

- Align the tool's jaws with the dented vent rib.
- Gently tighten the jaws around the rib until secure, ensuring the brass bridge is positioned correctly to avoid marking the rib.

3. Using the Tool:

- Pull the handle of the tool slowly and steadily to extract the dented vent rib.
- If resistance is met, stop and reassess the tool's alignment to prevent damage.

4. Removing the Tool:

- Once the vent rib is removed, carefully release the jaws of the tool.
- Inspect the vent rib and the shotgun for any damage.

5. PostUse:

- Clean the tool after use and store it in a safe place.
- Check the tool for any wear or damage before the next use.

Disposal Instructions

- Dispose of the VENT RIB TOOL in accordance with local regulations.
- If the tool is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the tool in regular household waste to ensure environmental safety.

Contact Information for Further Support

For any questions or concerns regarding the VENT RIB TOOL, please refer to the manufacturer's contact details provided with the product packaging or visit the official MURRAYS website for additional resources and support.

Thank you for your attention to these safety instructions. Your safety is our priority, and proper use of the VENT RIB TOOL will ensure a successful and safe experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk