

AR-15 GAPPER - FOR ERGO GRIPS - ERGO GRIPS AR-15 GAPPER BLACK RUBBER

[Home](#)

Soft, polyurethane pad fits between pistol grip and frame to fill the gap under the triggerguard latch. Prevents the sharp edges of the frame from rubbing or cutting your index finger.



Attributes

- Name: [ERGO GRIPS AR-15 GAPPER BLACK RUBBER](#)
- Manufacturer: [ERGO GRIPS](#)
- Product no.: 573000004
- Mfr. No.: 4085
- Colour: Black
- Material: Rubber
- Weapon type: AR-15
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 874748000543

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 GAPPER](#)
- [About Us](#)

Safety Instruction Guide for AR15 GAPPER

Introduction

Thank you for choosing the AR15 GAPPER by ERGO GRIPS. This product is designed to enhance your shooting experience by filling the gap between the pistol grip and frame of your AR15. To ensure your safety and the safe use of this product, please read and follow the guidelines outlined in this manual.

General Safety Guidelines

- Always inspect the AR15 GAPPER before installation for any signs of damage or defects.
- Ensure that the firearm is unloaded and secured before handling or installing the GAPPER.
- Follow all local laws and regulations regarding firearm accessories.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- The AR15 GAPPER is made of rubber; ensure that it is securely fitted to prevent any movement during use.
- Avoid using the product if you notice any wear or damage.
- Be cautious of sharp edges on the firearm's frame that may still be exposed, even with the GAPPER installed.
- If you experience discomfort or injury while using the firearm, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Remove the existing pistol grip if necessary.
- Place the AR15 GAPPER pad between the pistol grip and the frame, aligning it properly.
- Reattach the pistol grip, ensuring that the GAPPER is securely in place.
- Check for a snug fit; the GAPPER should not move when the grip is pulled.

2. Usage:

- Hold the firearm with a firm grip, ensuring that your fingers are positioned comfortably.
- Be aware of your finger placement in relation to the trigger and the edges of the frame.
- Regularly inspect the GAPPER during use for any signs of wear or movement.

Disposal Instructions

- Dispose of the AR15 GAPPER in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for rubber products where available.

Contact Information for Further Support

For any questions or concerns regarding the AR15 GAPPER, please reach out to the manufacturer or your retailer for assistance. Ensure that you have the product details at hand to facilitate a swift response.

Thank you for your attention to these safety instructions. Enjoy your enhanced shooting experience with the AR15 GAPPER!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk