

TANG SIGHT SCREW SET - MARBLE ARMS WINCHESTER 1892, 1894 (EXCEPT .22)TANG SIGHT SCREW SET BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Rear Sight Screws](#)

Tang sight screw sets for your tang sights. Find the correct screw by looking at this chart.



Attributes

- Name: [MARBLE ARMS WINCHESTER 1892, 1894 \(EXCEPT .22\)TANG SIGHT SCREW SET BLACK](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579000102
- Mfr. No.: 995003
- Colour: Black
- Model: 1866,1892,1894,1906,53,55
- Weapon type: Winchester
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373004533

Item details

Made in USA

Table of Contents

- Startpage
- TANG SIGHT SCREW SET MARBLE ARMS WINCHESTER 1892, 1894 (EXCEPT .22) Safety Instruction Guide
- About Us

TANG SIGHT SCREW SET MARBLE ARMS WINCHESTER 1892, 1894 (EXCEPT .22) Safety Instruction Guide

Introduction

Thank you for choosing the TANG SIGHT SCREW SET from MARBLE ARMS. This guide provides essential safety instructions and information for the proper use and installation of your product. Please read this guide thoroughly to ensure safe handling and operation.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use. Do not use if damaged.
- Follow all installation instructions carefully to avoid hazards.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the screws that are compatible with your specific models: Winchester 1892, 1894, 1866, 1906, 55, and 53.
- Avoid overtightening screws, as this may damage the tang sight or the firearm.
- Do not modify the screws or the tang sight in any way, as this may compromise safety.
- Always wear safety glasses when handling tools or performing installation to protect your eyes.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver that fits the screw heads.
- Ensure your workspace is clean and welllit.

2. Installation Steps:

- Identify the correct screw for your model using the provided chart.
- Align the tang sight with the mounting holes on your firearm.
- Insert the screw into the hole and handtighten it to ensure proper alignment.
- Using the screwdriver, tighten the screw securely, but do not overtighten.
- Repeat the process for any additional screws required for installation.

3. Usage:

- After installation, check the stability of the tang sight before using the firearm.
- Regularly inspect the screws for tightness and integrity during routine maintenance.

Disposal Instructions

- Dispose of any unused or damaged screws and packaging materials in accordance with local regulations.
- Do not dispose of in regular household waste if there are specific disposal guidelines for metal or

hardware in your area.

Contact Information for Further Support

For any inquiries or support regarding the TANG SIGHT SCREW SET, please consult your retailer or the manufacturer's website for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority, and we hope you enjoy using your TANG SIGHT SCREW SET.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk