

RIFLE #63H SHORT FLAT TOP SHANK REAR SIGHT - MARBLE ARMS

RIFLE DOVETAIL #63H FLAT TOP SHORT SHANK REAR SIGHT

BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Sporting Rear Sight Base with three styles of Uprights. Perfect as replacement sights for customizing the sight picture, or adding adjustment to fixed sight guns. Fits standard 3/8" dovetails; available with Flat Top Uprights.



Attributes

- Name: [MARBLE ARMS RIFLE DOVETAIL #63H FLAT TOP SHORT SHANK REAR SIGHT BLACK](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579063003
- Mfr. No.: 006301
- Colour: Black
- Style: Dovetail
- Weapon type: Universal Rifles
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373004021

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE #63H SHORT FLAT TOP SHANK REAR SIGHT
- About Us

Safety Instruction Guide for RIFLE #63H SHORT FLAT TOP SHANK REAR SIGHT

Introduction

Thank you for purchasing the RIFLE #63H SHORT FLAT TOP SHANK REAR SIGHT from Marble Arms. This guide provides essential safety information and instructions for the proper use and installation of your rear sight. Please read this manual thoroughly to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure the rear sight is compatible with your rifle before installation.
- Always handle firearms with care and follow all safety protocols.
- Inspect the rear sight for any visible damage before use. Do not use if damaged.
- Keep the sight and all firearm components out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents involving the product to the relevant authorities.
- Regularly check for updates or recalls on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only on rifles designed for 3/8" dovetail sights.
- Ensure the sight is securely mounted before using the firearm.
- Do not attempt to modify or alter the sight in any way.
- Be aware of your surroundings and ensure a safe shooting environment.
- Always wear appropriate eye and ear protection when shooting.
- If you are unfamiliar with firearm operation, seek guidance from a qualified professional.

Instructions for Installation and Usage

Installation

1. Gather Required Tools:

- Screwdriver suitable for sight installation.
- Allen wrench (if applicable).

2. Remove Existing Sight:

- Ensure the firearm is unloaded.
- Remove any existing rear sight by loosening screws or pins.

3. Position the New Sight:

- Align the RIFLE #63H rear sight with the existing dovetail slot.
- Make sure it is oriented correctly for optimal sight picture.

4. Secure the Sight:

- Tighten the screws or pins to secure the sight in place.
- Ensure it is mounted firmly to avoid any movement during use.

5. Final Inspection:

- Check that the sight is level and properly aligned.

- Test the sight by gently attempting to move it; it should be secure.

Usage

- Adjust the sight as needed for your shooting preferences.
- Regularly check the sight for any signs of wear or looseness.
- Clean the sight with a soft cloth to remove dirt or debris.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the sight in regular household waste if it contains hazardous materials.
- Consider recycling components where possible.

Contact Information for Further Support

For any questions or concerns regarding the RIFLE #63H SHORT FLAT TOP SHANK REAR SIGHT, please refer to your retailer or manufacturer's website for contact information and support resources.

By following these guidelines, you can ensure a safe and enjoyable experience with your new rear sight. Thank you for choosing Marble Arms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk