

# RIFLE #66H FLAT TOP LONG SHANK REAR SIGHT - MARBLE ARMS #66H DOVETAIL FLAT TOP REAR, LONG SHANK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Perfect as replacement sight for customizing the sight picture, or adding adjustment to fixed sight guns. Fits standard 3/8" dovetails; available with Flat Top Uprights.



## Attributes

- Name: [MARBLE ARMS #66H DOVETAIL FLAT TOP REAR, LONG SHANK](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579066003
- Mfr. No.: 006601
- Colour: Black
- Style: Dovetail
- Weapon type: Universal Rifles
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373004076

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE #66H FLAT TOP LONG SHANK REAR SIGHT
- About Us

# Safety Instruction Guide for RIFLE #66H FLAT TOP LONG SHANK REAR SIGHT

## Introduction

Thank you for choosing the RIFLE #66H Flat Top Long Shank Rear Sight by Marble Arms. This product is designed to enhance your shooting experience by providing a customizable sight picture. To ensure your safety and the proper use of this product, please read and follow the guidelines outlined in this document.

## General Safety Guidelines

- Always handle firearms and accessories with care.
- Ensure that the firearm is unloaded before installing or adjusting the rear sight.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sight for wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the sight is compatible with your firearm model before installation.
- Do not use the sight if it appears damaged or malfunctioning.
- Avoid adjusting the sight while the firearm is loaded or pointed in an unsafe direction.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing rear sight from the dovetail.
- Align the RIFLE #66H rear sight with the 3/8" dovetail slot on your firearm.
- Gently tap the sight into place using a nonmarring tool, ensuring it is securely fitted.
- Confirm that the sight is level and properly aligned with the front sight.

### 2. Usage:

- Familiarize yourself with the adjustments available on the sight for windage and elevation.
- Make adjustments only when the firearm is unloaded and pointed in a safe direction.
- Test the sighting adjustments at a safe shooting range to ensure accuracy.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the sight in household waste. Check for local recycling programs for metal components.
- Ensure that any packaging materials are disposed of responsibly.

## Contact Information for Further Support

For any safety inquiries or support related to the RIFLE #66H Flat Top Long Shank Rear Sight, please reach out to the manufacturer or your local authorized dealer.

By following these guidelines, you can ensure a safe and enjoyable experience with your new rear sight. Thank

you for your attention to safety and responsible firearm use.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)