

RIFLE FIBER OPTIC GLOW 37-W FRONT SIGHT - MARBLE ARMS .375" FIBER OPTIC GLOW 37-W FRONT SIGHT STEEL GREEN

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Precision-made sights for rifles, both with and without ramp bases. The blade is gracefully contoured, sloping toward the front. Made of steel and nicely blued to look good on any gun. GLOW SIGHTS: Two colors - Orange or Green .060" dia. optic rod. RAMP MOUNTED - .340 wide base.



Attributes

- Name: [MARBLE ARMS .375" FIBER OPTIC GLOW 37-W FRONT SIGHT STEEL GREEN](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579203736
- Mfr. No.: 203736
- Colour: Green
- Height: .375
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373002621

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 37W FRONT SIGHT
- About Us

Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 37W FRONT SIGHT

Introduction

Thank you for choosing the RIFLE FIBER OPTIC GLOW 37W FRONT SIGHT by Marble Arms. This guide provides essential safety instructions and information to ensure the safe use and installation of your new front sight. Please read this guide carefully before use.

General Safety Guidelines

- Always handle firearms and accessories with care to ensure safety.
- Ensure that your rifle is unloaded before installing or adjusting the front sight.
- Keep the sight and all tools out of reach of children and unauthorized users.
- Inspect the sight regularly for any signs of wear or damage before each use.
- Use the sight only for its intended purpose as described in this guide.

Specific Safety Precautions for Use

- Avoid using the front sight in extreme weather conditions, as temperature changes may affect performance.
- Do not modify the sight in any way, as this may compromise its safety and effectiveness.
- Ensure that the sight is securely mounted to prevent it from coming loose during use.
- Use appropriate eye and ear protection while shooting to prevent injury.

Instructions for Installation and Usage

1. Select the Appropriate Sight Height:

- Refer to the Marbles and/or Williams charts to determine the sight height required for your rifle.

2. Choose the Correct Sight Style:

- Identify the required Sight Style, Bead Type, and Width based on your preferences and the information provided.

3. Locate the Correct Ordering Number:

- Use the chart provided to find the correct Marbles Sight and note the 9digit Ordering No. For example:
 - For a Contoured Ramp Front Sight, "MR" width, .290" (7.4mm) high, with a 1/16" (1.6mm) gold bead, the number is: 579502911.

4. Installation:

- Ensure your rifle is unloaded.
- Remove the old sight if applicable.
- Align the new sight with the ramp base and secure it using the appropriate tools.
- Doublecheck that the sight is firmly attached and correctly aligned.

5. Usage:

- Once installed, familiarize yourself with the sight and its features.
- Practice aiming and shooting in a safe environment to ensure proper use.

Disposal Instructions

- Dispose of the sight and any packaging materials in accordance with local regulations.
- Do not dispose of in household waste if it contains hazardous materials.
- Check with local authorities for proper disposal methods for metal and plastic components.

Contact Information for Further Support

- For any questions or concerns regarding the RIFLE FIBER OPTIC GLOW 37W FRONT SIGHT, please refer to the manufacturer's contact information, which can typically be found on their website or product packaging.

By following these guidelines, you can ensure the safe and effective use of your RIFLE FIBER OPTIC GLOW 37W FRONT SIGHT. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk